

DevExpress Accessibility Conformance Report International Edition

(Based on VPAT® Version 2.5)

Name of Product/Version: DevExpress Blazor Report Viewer v25.1

Report Date: June 2025

Product Description: The DevExpress Native Blazor Report Viewer ships as part of DevExpress Reports and is compatible with the following frameworks and project types: Blazor.

Contact Information: management@devexpress.com

Notes: This document outlines accessibility conformance of the DevExpress Native Blazor Report Viewer (part of the DevExpress Reports Suite).

Visit devexpress.com to learn more about DevExpress Reports, its capabilities, and pricing options. To evaluate DevExpress controls and libraries prior to purchase, download our fully-functional [30-day trial version](#). For technical information, refer to our [online documentation](#).

Evaluation Methods Used: Conformance to accessibility standards has been evaluated by DevExpress using a combination of static analysis tools (Lighthouse automated tool, WAVE evaluation tool) and manual testing with assistive technologies (NVDA, Narrator, TPGi's ADA Color Contrast Checker).

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A (Yes) Level AA (Yes) Level AAA (No)
Web Content Accessibility Guidelines 2.1	Level A (Yes) Level AA (Yes) Level AAA (No)
Web Content Accessibility Guidelines 2.2	Level A (Yes) Level AA (Yes) Level AAA (No)
Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018	(Yes)
EN 301 549 Accessibility requirements for ICT products and services - V3.1.1 (2019-11) AND EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 (2021-03)	(Yes)

Terms

Terms used in the Conformance Level information are defined as follows:

- **Supports:** Product-related functionality has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some product-related functionality does not meet the criterion.
- **Does Not Support:** The majority of product-related functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can only be used in WCAG 2.0 Level AAA.

WCAG 2.2 Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 - Web, Sections 10.1-10.4 of Chapter 10 - Non-Web documents, and Sections 11.1-11.4 and 11.8.2 of Chapter 11 - Non-Web Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 – Documentation
- Revised Section 508: Chapter 5 – 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 – 602.3 Electronic Support Documentation.

Note: When reporting on conformance with WCAG 2.2 Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.0 Conformance Requirements](#).

Table 1: Success Criteria, Level A

Criteria	Conformance Level	Remarks and Explanations
<p>1.1.1 Non-text Content (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.1.1 (Web) • 10.1.1.1 (Non-web document) • 11.1.1.1.1 (Open Functionality Software) • 11.1.1.1.2 (Closed Functionality Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	For all report controls, developers can specify an accessible role and description that assistive technologies can use as text alternatives for non-text content.

Criteria	Conformance Level	Remarks and Explanations
<p>1.2.1 Audio-only and Video-only (Prerecorded) (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.1 (Web) • 10.1.2.1 (Non-web document) • 11.1.2.1.1 (Open Functionality Software) • 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not Applicable	The DevExpress Blazor Report Viewer does not include prerecorded audio-only or video-only content.
<p>1.2.2 Captions (Prerecorded) (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.2 (Web) • 10.1.2.2 (Non-web document) • 11.1.2.2 (Open Functionality Software) • 11.1.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not Applicable	The DevExpress Blazor Report Viewer does not include prerecorded audio-only or video-only content.

Criteria	Conformance Level	Remarks and Explanations
<p>1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.2.3 (Web) 10.1.2.3 (Non-web document) 11.1.2.3.1 (Open Functionality Software) 11.1.2.3.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Not Applicable	The DevExpress Blazor Report Viewer does not include prerecorded audio-only or video-only content.
<p>1.3.1 Info and Relationships (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.3.1 (Web) 10.1.3.1 (Non-web document) 11.1.3.1.1 (Open Functionality Software) 11.1.3.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Partially Supports	<p>DevExpress Blazor Report Viewer UI elements support the WAI-ARIA standard and expose information, structure, and relationships to assistive technologies.</p> <p>Limitations apply to report content. In the Document Page area, assistive technologies cannot programmatically determine which column header is associated with a specific cell. Assistive names and roles must be explicitly specified using Accessibility API at design time or in code.</p>
<p>1.3.2 Meaningful Sequence (Level A)</p> <p>Also applies to:</p>	Partially Supports	Meaning and correct reading sequence are determined by ARIA attributes.

Criteria	Conformance Level	Remarks and Explanations
<p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.2 (Web) • 10.1.3.2 (Non-web document) • 11.1.3.2.1 (Open Functionality Software) • 11.1.3.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		<p>Limitations apply to report content:</p> <ul style="list-style-type: none"> • Assistive technologies cannot programmatically determine which column header is associated with a specific cell. • The component renders report elements based on its internal logic that may not match visual presentation.
<p>1.3.3 Sensory Characteristics (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.3 (Web) • 10.1.3.3 (Non-web document) • 11.1.3.3 (Open Functionality Software) • 11.1.3.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	<p>Instructions provided for understanding and operating content do not rely solely on sensory characteristics. Report Viewer UI elements expose accessible names, descriptions, and control type information.</p>
<p>1.4.1 Use of Color (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.1 (Web) 	Supports	<p>Information may be conveyed by color only within a report (Document Page area). This capability depends on decisions made by the report designer or software developer.</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 10.1.4.1 (Non-web document) 11.1.4.1 (Open Functionality Software) 11.1.4.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		
<p>1.4.2 Audio Control (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.4.2 (Web) 10.1.4.2 (Non-web document) 11.1.4.2 (Open Functionality Software) 11.1.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Not Applicable	The DevExpress Blazor Report Viewer does not contain audio content.
<p>2.1.1 Keyboard (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.1.1 (Web) 10.2.1.1 (Non-web document) 11.2.1.1.1 (Open Functionality Software) 	Supports	<p>The DevExpress Blazor Report Viewer supports standard keyboard navigation and input functions including shortcuts.</p> <p>A loaded document is readable and navigable even if it contains embedded fields.</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 11.2.1.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		
<p>2.1.2 No Keyboard Trap (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.1.2 (Web) 10.2.1.2 (Non-web document) 11.2.1.2 (Open Functionality Software) 11.2.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	Users can move keyboard focus with standard methods. Keyboard focus is not locked or trapped by any UI element.
<p>2.1.4 Character Key Shortcuts (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.1.4 (Web) 10.2.1.4 (Non-web document) 11.2.1.4.1 (Open Functionality Software) 11.2.1.4.2 (Closed Software) 11.8.2 (Authoring Tool) 	Supports	The DevExpress Blazor Report Viewer does not contain built-in single-symbol shortcuts. Developers can configure shortcuts as necessary.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply		
<p>2.2.1 Timing Adjustable (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.2.1 (Web) 10.2.2.1 (Non-web document) 11.2.2.1 (Open Functionality Software) 11.2.2.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Not Applicable	The DevExpress Blazor Report Viewer does not contain time-controlled content.
<p>2.2.2 Pause, Stop, Hide (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.2.2 (Web) 10.2.2.2 (Non-web document) 11.2.2.2 (Open Functionality Software) 11.2.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 	Not Applicable	The DevExpress Blazor Report Viewer does not contain moving, blinking, or scrolling information that starts automatically, lasts more than five seconds, and is presented in parallel with other content.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 602.3 (Support Docs) 		
<p><u>2.3.1 Three Flashes or Below Threshold</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.3.1 (Web) 10.2.3.1 (Non-web document) 11.2.3.1 (Open Functionality Software) 11.2.3.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	The DevExpress Blazor Report Viewer does not include any content that flashes.
<p><u>2.4.1 Bypass Blocks</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.4.1 (Web) 10.2.4.1 (Non-web document) – Does not apply 11.2.4.1 (Open Functionality Software) – Does not apply 11.2.4.1 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs 	Not Applicable	The DevExpress Blazor Report Viewer does not have a "main content" section that requires a user to bypass a long list of links.

Criteria	Conformance Level	Remarks and Explanations
<p>2.4.2 Page Titled (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.4.2 (Web) 10.2.4.2 (Non-web document) 11.2.4.2 (Open Functionality Software) - Does not apply 11.2.4.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Not Applicable	A developer can specify a page title for the page that includes the DevExpress Blazor Report Viewer.
<p>2.4.3 Focus Order (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.4.3 (Web) 10.2.4.3 (Non-web document) 11.2.4.3 (Open Functionality Software) 11.2.4.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	A user can navigate through the DevExpress Blazor Report Viewer UI and Document Page area sequentially. Navigation sequence follows visual order.
<p>2.4.4 Link Purpose (In Context) (Level A)</p> <p>Also applies to:</p>	Does Not Support	Links in the Document Page area do not provide information to assistive technologies.

Criteria	Conformance Level	Remarks and Explanations
<p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.4 (Web) • 10.2.4.4 (Non-web document) • 11.2.4.4 (Open Functionality Software) • 11.2.4.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p>2.5.1 Pointer Gestures (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.1 (Web) • 10.2.5.1 (Non-web document) • 11.2.5.1 (Open Functionality Software) • 11.2.5.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Not Applicable	The DevExpress Blazor Report Viewer does not require multipoint or path-based gestures.
<p>2.5.2 Pointer Cancellation (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.2 (Web) • 10.2.5.2 (Non-web document) • 11.2.5.2 (Open Functionality Software) • 11.2.5.2 (Closed Software) 	Supports	The DevExpress Blazor Report Viewer UI does not initiate actions on the down-event.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply		
<p>2.5.3 Label in Name (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.5.3 (Web) 10.2.5.3 (Non-web document) 11.2.5.3.1 (Open Functionality Software) 11.2.5.3.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Supports	Accessible names in the DevExpress Blazor Report Viewer are based on display text.
<p>2.5.4 Motion Actuation (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.5.4 (Web) 10.2.5.4 (Non-web document) 11.2.5.4 (Open Functionality Software) 11.2.5.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Not Applicable	The DevExpress Blazor Report Viewer does not contain functionality that can be operated only by device motion or user motion.
<p>3.1.1 Language of Page (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.3.1.1 (Web) 	Does Not Support	The DevExpress Blazor Report Viewer does not expose UI language information to assistive technologies. Developers can specify a language in

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 10.3.1.1 (Non-web document) 11.3.1.1.1 (Open Functionality Software) 11.3.1.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		the page that incorporates the DevExpress Blazor Report Viewer.
3.2.1 On Focus (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.2.1 (Web) 10.3.2.1 (Non-web document) 11.3.2.1 (Open Functionality Software) 11.3.2.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	Focus change in the Blazor Report Viewer UI does not initiate a change of context.
3.2.2 On Input (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.2.2 (Web) 10.3.2.2 (Non-web document) 11.3.2.2 (Open Functionality Software) 	Supports	User input does not automatically cause a change of context.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 11.3.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		
3.2.6 Consistent Help (Level A 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Not Applicable	The DevExpress Blazor Report Viewer does not contain built-in help mechanisms.
3.3.1 Error Identification (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.3.1 (Web) 10.3.3.1 (Non-web document) 11.3.3.1.1 (Open Functionality Software) 11.3.3.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	A developer can use client-side APIs to implement color and text message indication for erroneous input and add validation capability to editors used in the Parameter Panel.
3.3.2 Labels or Instructions (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.3.2 (Web) 	Supports	Input elements have associated labels or instructions.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 10.3.3.2 (Non-web document) 11.3.3.2 (Open Functionality Software) 11.3.3.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		
<p>3.3.7 Redundant Entry (Level A 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	Not Applicable	The DevExpress Blazor Report Viewer does not require you to re-enter information.
<p>4.1.1 Parsing (Level A)</p> <p>Applies to:</p> <p>WCAG 2.0 and 2.1 – Always answer ‘Supports’</p> <p>WCAG 2.2 (obsolete and removed) - Does not apply</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.4.1.1 (Web) 10.4.1.1 (Non-web document) 11.4.1.1.1 (Open Functionality Software) 11.4.1.1.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	DevExpress validates markup code so that every supported browser can correctly interpret it.

Criteria	Conformance Level	Remarks and Explanations
<p>4.1.2 Name, Role, Value (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.4.1.2 (Web) • 10.4.1.2 (Non-web document) • 11.4.1.2.1 (Open Functionality Software) • 11.4.1.2.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Partially Supports</p>	<p>The name, role, and value of report controls used to create a document and subsequently loaded into the Report Viewer are programmatically determined and detectable by assistive technologies.</p> <p>Panel editors are based on controls from the DevExpress Blazor UI library. Refer to the DevExpress Blazor Accessibility report for additional information.</p> <p>Limitations apply to report content. You can use Accessibility API to specify names and roles for elements in the Document Page area (headers, tables, and others).</p>

Table 2: Success Criteria, Level AA

Criteria	Conformance Level	Remarks and Explanations
<p>1.2.4 Captions (Live) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.2.4 (Web) 10.1.2.4 (Non-web document) 11.1.2.4 (Open Functionality Software) 11.1.2.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Not Applicable	The DevExpress Blazor Report Viewer does not contain live audio content.
<p>1.2.5 Audio Description (Prerecorded) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.2.5 (Web) 10.1.2.5 (Non-web document) 11.1.2.5 (Open Functionality Software) 11.1.2.5 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 	Not Applicable	The DevExpress Blazor Report Viewer does not contain prerecorded video content.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 602.3 (Support Docs) 		
<p>1.3.4 Orientation (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.3.4 (Web) 10.1.3.4 (Non-web document) 11.1.3.4 (Open Functionality Software) 11.1.3.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	The DevExpress Blazor Report Viewer does not restrict its view and operation to a single display orientation.
<p>1.3.5 Identify Input Purpose (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.3.5 (Web) 10.1.3.5 (Non-web document) 11.1.3.5.1 (Open Functionality Software) 11.1.3.5.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Not Applicable	The DevExpress Blazor Report Viewer does not include input forms that collect user information.
<p>1.4.3 Contrast (Minimum) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.4.3 (Web) 10.1.4.3 (Non-web document) 11.1.4.3 (Open Functionality Software) 	Supports	Certain themes may not meet the standard. We recommend that developers apply high-contrast themes (such as Blazing Berry or Fluent) or customize a theme to meet the standard.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 11.1.4.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		
<p><u>1.4.4 Resize text</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.4.4 (Web) 10.1.4.4 (Non-web document) 11.1.4.4.1 (Open Functionality Software) 11.1.4.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	<p>The DevExpress Blazor Report Viewer uses fonts measured in 'rem' units, so all text can be resized with a single setting up to 200% without loss of content or functionality.</p> <p>The report in the Document Page area can be zoomed to 200% or more.</p>
<p><u>1.4.5 Images of Text</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.4.5 (Web) 10.1.4.5 (Non-web document) 11.1.4.5.1 (Open Functionality Software) 11.1.4.5.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 	Not Applicable	<p>Images of text are only used for decorative purposes and are not essential to the information being conveyed.</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		
<p>1.4.10 Reflow (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.4.10 (Web) 10.1.4.10 (Non-web document) 11.1.4.10 (Open Functionality Software) 11.1.4.10 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Does Not Support	The DevExpress Blazor Report Viewer requires a two-dimensional layout that keeps panels in view while users manipulate content. A page at 400% magnification cannot display its entire content and requires horizontal and vertical scrolling.
<p>1.4.11 Non-text Contrast (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.4.11 (Web) 10.1.4.11 (Non-web document) 11.1.4.11 (Open Functionality Software) 11.1.4.11 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	Certain themes may not meet the standard. We recommend that developers use high-contrast themes (such as Blazing Berry or Fluent) or customize a theme to meet the standard.
<p>1.4.12 Text Spacing (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p>	Supports	Developers can modify stylesheets, customize

Criteria	Conformance Level	Remarks and Explanations
<p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.12 (Web) • 10.1.4.12 (Non-web document) • 11.1.4.12 (Open Functionality Software) • 11.1.4.12 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>		<p>themes, and create a custom theme with required font settings.</p>
<p>1.4.13 Content on Hover or Focus (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.13 (Web) • 10.1.4.13 (Non-web document) • 11.1.4.13 (Open Functionality Software) • 11.1.4.13 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Supports</p>	<p>Content that appears dynamically supports this criterion or is displayed by the user agent.</p>
<p>2.4.5 Multiple Ways (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.5 (Web) • 10.2.4.5 (Non-web document) – Does not apply • 11.2.4.5 (Open Functionality Software) – Does not apply • 11.2.4.5 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) 	<p>Not Applicable</p>	<p>The DevExpress Blazor Report Viewer does not require multi-page navigation.</p>

Criteria	Conformance Level	Remarks and Explanations
Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs 		
2.4.6 Headings and Labels (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.2.4.6 (Web) 10.2.4.6 (Non-web document) 11.2.4.6 (Open Functionality Software) 11.2.4.6 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	Headings and labels describe topic or purpose. Developers can use the Report Designer to specify accessible role and description for report content element.
2.4.7 Focus Visible (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.2.4.7 (Web) 10.2.4.7 (Non-web document) 11.2.4.7 (Open Functionality Software) 11.2.4.7 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 	Supports	The keyboard focus indicator is always visible.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 504.2 (Authoring Tool) 602.3 (Support Docs) 		
<u>2.4.11 Focus Not Obscured (Minimum)</u> (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Supports	When a Report Viewer element gets keyboard focus, it is at least partially visible.
<u>2.5.7 Dragging Movements</u> (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Not Applicable	The DevExpress Blazor Report Viewer does not require dragging movements for operation.
<u>2.5.8 Target Size (Minimum)</u> (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Supports	The target size for pointer input is no less than 24 by 24 CSS pixels.
<u>3.1.2 Language of Parts</u> (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.1.2 (Web) 10.3.1.2 (Non-web document) 11.3.1.2 (Open Functionality Software) – Does not apply 11.3.1.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Not Applicable	Developers can specify 'lang' attributes for each passage or phrase written in multiple languages.
<u>3.2.3 Consistent Navigation</u> (Level AA) Also applies to: EN 301 549 Criteria	Not Applicable	The DevExpress Blazor Report Viewer does not require multi-page navigation.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 9.3.2.3 (Web) 10.3.2.3 (Non-web document) – Does not apply 11.3.2.3 (Open Functionality Software) – Does not apply 11.3.2.3 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs 		
<p><u>3.2.4 Consistent Identification</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.3.2.4 (Web) 10.3.2.4 (Non-web document) – Does not apply 11.3.2.4 (Open Functionality Software) – Does not apply 11.3.2.4 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs 	Not Applicable	The DevExpress Blazor Report Viewer does not require multi-page navigation.
<p><u>3.3.3 Error Suggestion</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.3.3.3 (Web) 10.3.3.3 (Non-web document) 	Supports	A developer can handle built-in events to display required information.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 11.3.3.3 (Open Functionality Software) 11.3.3.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		
<p><u>3.3.4 Error Prevention (Legal, Financial, Data)</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.3.3.4 (Web) 10.3.3.4 (Non-web document) 11.3.3.4 (Open Functionality Software) 11.3.3.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Not Applicable	The DevExpress Blazor Report Viewer does not contain elements that cause legal commitments or financial transactions to occur; nor does it have elements that modify/delete user-controllable data in data storage systems or that submit user test responses.
<p><u>3.3.8 Accessible Authentication (Minimum)</u> (Level AA 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	Not Applicable	The DevExpress Blazor Report Viewer does not include authentication.
<p><u>4.1.3 Status Messages</u> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p>	Supports	The DevExpress Blazor Report Viewer announces document creation progress and search results.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none">• 9.4.1.3 (Web)• 10.4.1.3 (Non-web document)• 11.4.1.3 (Open Functionality Software)• 11.4.1.3 (Closed Software) – Does not apply• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) Revised Section 508 – Does not apply		

Table 3: Success Criteria, Level AAA

Notes: The DevExpress Blazor Report Viewer has not been tested for conformance to WCAG Level AAA criteria.

Revised Section 508 Report

Chapter 3: [Functional Performance Criteria \(FPC\)](#)

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Partially Supports	<p>The DevExpress Blazor Report Viewer uses WAI-ARIA techniques to describe the identity, operation, and state of user interface elements to assistive technologies. Most UI elements in DevExpress Blazor Report Viewer can be accessed with the keyboard alone and announced by appropriate assistive technologies.</p> <p>Refer to WCAG 2.2 for additional information.</p>
302.2 With Limited Vision	Partially Supports	<p>The DevExpress Blazor Report Viewer uses WAI-ARIA techniques to describe the identity, operation, and state of user interface elements to assistive technologies. Most UI elements in DevExpress Blazor Report Viewer can be accessed with the keyboard alone and announced by appropriate assistive technologies.</p> <p>Report Viewer elements meet minimum contrast requirements. Developers can customize color schemes. All UI text can be enlarged to 200%, but a document page at 400% magnification cannot display its entire content and requires horizontal and vertical scrolling.</p> <p>For additional information, refer to the following WCAG 2.2 criteria:</p> <ul style="list-style-type: none"> • 1.4.3 Contrast (Minimum) • 1.4.4 Resize Text • 1.4.10 Reflow • 1.4.11 Non-text Contrast

Criteria	Conformance Level	Remarks and Explanations
302.3 Without Perception of Color	Supports	The DevExpress Blazor Report Viewer does not use color alone to convey information. A high contrast theme is available. Developers can customize color schemes as requirements dictate.
302.4 Without Hearing	Not Applicable	The DevExpress Blazor Report Viewer has no audio features.
302.5 With Limited Hearing	Not Applicable	The DevExpress Blazor Report Viewer has no audio features.
302.6 Without Speech	Not Applicable	The DevExpress Blazor Report Viewer does not require speech input.
302.7 With Limited Manipulation	Partially Supports	<p>The DevExpress Blazor Report Viewer and most embedded editors are operable with a keyboard and can be used without a pointing device.</p> <p>For additional information, refer to the following WCAG 2.2 criteria:</p> <ul style="list-style-type: none"> - 2.1.1 Keyboard - 2.1.2 No Keyboard Trap <p>The DevExpress Blazor Report Viewer and most embedded editors provide automation interfaces that can be used by assistive technologies to interact with UI elements.</p> <p>For additional information, refer to the following WCAG 2.2 criterion:</p> <ul style="list-style-type: none"> - 4.1.2 Name, Role, Value <p>The DevExpress Blazor Report Viewer does not use multi-point or path-based gestures and does not require fine motor control or simultaneous manual operations. Other mouse pointer interaction is implemented according to WCAG 2.2 requirements.</p> <p>The DevExpress Blazor Report Viewer does not rely on motion actions.</p>
302.8 With Limited Reach and Strength	Supports	The DevExpress Blazor Report Viewer and embedded editors are operable with a keyboard and can be used without a pointing device.

Criteria	Conformance Level	Remarks and Explanations
		<p>For additional information, refer to the following WCAG 2.2 criteria:</p> <ul style="list-style-type: none"> - 2.1.1 Keyboard - 2.1.2 No Keyboard Trap
302.9 With Limited Language, Cognitive, and Learning Abilities	Partially Supports	<p>Users with limited language, cognitive, and learning abilities can use text-to-speech assistive tools that rely on information provided by the DevExpress Blazor Report Viewer via UI Automation.</p> <p>For additional information, refer to the following WCAG 2.2 criteria:</p> <ul style="list-style-type: none"> - 2.5.3 Label in Name - 4.1.2 Name, Role, Value <p>Developers can implement input validation procedures, display validation errors, and provide information about errors to assistive technologies. Developers can implement suggestions when an error occurs.</p> <p>For additional information, refer to the following WCAG 2.2 criterion:</p> <ul style="list-style-type: none"> - 3.3.1 Error Identification

Chapter 4: [Hardware](#)

Notes: Not Applicable.

Chapter 5: [Software](#)

Notes: Subsection 503 is not applicable

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope – Incorporation of WCAG 2.0 AA	See WCAG 2	See WCAG 2
502 Interoperability with Assistive Technology	Heading cell – no response required	Heading cell – no response required
502.2.1 User Control of Accessibility Features	Not Applicable	Developers can implement user control of accessibility features.
502.2.2 No Disruption of Accessibility Features	Supports	The DevExpress Blazor Report Viewer is compatible with operating system and browser accessibility features that the user configures.
502.3 Accessibility Services	Heading cell – no response required	Heading cell – no response required
502.3.1 Object Information	Partially Supports	<p>Role, state(s), properties, boundary, name, and component descriptions can be programmatically determined by assistive technologies.</p> <p>For additional information, refer to the following WCAG 2.2 criterion:</p> <ul style="list-style-type: none"> - 4.1.2 Name, Role, Value
502.3.2 Modification of Object Information	Partially Supports	<p>States and properties of embedded editors can be set programmatically, including through assistive technologies.</p> <p>For additional information, refer to the following WCAG 2.2 criterion:</p> <ul style="list-style-type: none"> - 4.1.2 Name, Role, Value
502.3.3 Row, Column, and Headers	Partially Supports	The DevExpress Blazor Report Viewer provides programmatically determinable information about data tables and their cells, rows, and columns.

Criteria	Conformance Level	Remarks and Explanations
		For exceptions, refer to the following WCAG 2.2 criterion: - 1.3.1 Info and Relationships
502.3.4 Values	Partially Supports	The DevExpress Blazor Report Viewer contains programmatically determinable information about the current value and any set or range of allowable values associated with an object. For additional information, refer to the following WCAG 2.2 criterion: - 4.1.2 Name, Role, Value
502.3.5 Modification of Values	Partially Supports	Embedded editor values can be set programmatically, including through assistive technologies. For additional information, refer to the following WCAG 2.2 criterion: - 4.1.2 Name, Role, Value
502.3.6 Label Relationships	Partially Supports	The relationship of a label and its associated component is programmatically determinable. For additional information, refer to the following WCAG 2.2 criteria: - 2.5.3 Label in Name - 4.1.2 Name, Role, Value
502.3.7 Hierarchical Relationships	Partially Supports	The DevExpress Blazor Report Viewer provides programmatically determinable information about hierarchical relationships. For exceptions, refer to the following WCAG 2.2 criterion: - 1.3.1 Info and Relationships

Criteria	Conformance Level	Remarks and Explanations
502.3.8 Text	Partially Supports	Most text editors used within the DevExpress Blazor Report Viewer provide information on selection and clipboard operations to assistive technologies.
502.3.9 Modification of Text	Supports	Text in editors used by the DevExpress Blazor Report Viewer can be specified programmatically, including through assistive technologies.
502.3.10 List of Actions	Partially Supports	<p>A list of all actions that can be executed on an object can be determined programmatically.</p> <p>For exceptions, refer to the following WCAG 2.2 criteria:</p> <ul style="list-style-type: none"> - 2.1.1 Keyboard - 4.1.2 Name, Role, Value
502.3.11 Actions on Objects	Partially Supports	<p>The DevExpress Blazor Report Viewer allows assistive technologies to programmatically execute available actions on objects.</p> <p>For exceptions, refer to the following WCAG 2.2 criteria:</p> <ul style="list-style-type: none"> - 2.1.1 Keyboard - 4.1.2 Name, Role, Value
502.3.12 Focus Cursor	Supports	<p>The DevExpress Blazor Report Viewer visually indicates focus position and exposes focus information to assistive technologies.</p> <p>For exceptions, refer to the following WCAG 2.2 criteria:</p> <ul style="list-style-type: none"> - 2.1.1 Keyboard - 2.4.3 Focus Order - 4.1.2 Name, Role, Value

Criteria	Conformance Level	Remarks and Explanations
502.3.13 Modification of Focus Cursor	Partially Supports	<p>The DevExpress Blazor Report Viewer allows assistive technologies to programmatically set focus, text insertion point, and selection attributes.</p> <p>Restrictions:</p> <ul style="list-style-type: none"> - Editors with mask functionality could override caret position and/or selection.
502.3.14 Event Notification	Partially Supports	The DevExpress Blazor Report Viewer notifies assistive technologies about certain events, such as document generation start, progress, and completion.
502.4 Platform Accessibility Features	Not Applicable	The DevExpress Blazor Report Viewer is not platform software.
<u>503. Applications</u>	Heading cell – no response required	Heading cell – no response required
503.2 User Preferences	Supports	The DevExpress Blazor Report Viewer respects user-defined color, contrast, font type, and font size settings.
503.3 Alternative User Interfaces	Not Applicable	The DevExpress Blazor Report Viewer does not provide an alternative user interface that functions as assistive technology.
<u>504 Authoring Tools</u>	Heading cell – no response required	Heading cell – no response required
504.2 Content Creation or Editing	Not Applicable	The DevExpress Blazor Report Viewer is not an authoring tool.
504.2.1 Preservation of Information Provided for Accessibility in Format Conversion	Partially Supports	The format of an exported document determines whether the DevExpress Blazor Report Viewer retains accessibility information in the exported document.
504.2.2 PDF Export	Partially Supports	The DevExpress Blazor Report Viewer can export content to the PDF/UA-1 format. The following incomplete list highlights

Criteria	Conformance Level	Remarks and Explanations
		<p>problems that prevent full compliance with the PDF/UA file format:</p> <ul style="list-style-type: none"> - Not all meaningful content is properly tagged, including form fields created with the DevExpress Office File API. - Artifacts are not tagged with appropriate tags for decorative content. - The structural tree created by document tags does not always reflect the logical reading order of the document. - The language of content elements is not defined. <p>For additional information, refer WCAG 2.2.</p>
504.3 Prompts	Does Not Support	The DevExpress Blazor Report Viewer does not prompt users to create accessible content when exporting a document.
504.4 Templates	Not Applicable	The DevExpress Blazor Report Viewer does not offer templates.

Chapter 6: [Support Documentation and Services](#)

Notes: Not Applicable. DevExpress does not provide documentation or support services for end users.

EN 301 549 Report

Clause [4: Functional Performance Statements](#) (FPS)

Criteria	Conformance Level	Remarks and Explanations
4.2.1 Usage without vision	Partially Supports	<p>The DevExpress Blazor Report Viewer uses WAI-ARIA techniques to describe the identity, operation, and state of user interface elements to assistive technologies. Most UI elements in DevExpress Blazor Report Viewer can be accessed with the keyboard alone and announced by appropriate assistive technologies.</p> <p>Refer to WCAG 2.2 Report for details.</p>
4.2.2 Usage with limited vision	Partially Supports	<p>The DevExpress Blazor Report Viewer uses WAI-ARIA techniques to describe the identity, operation, and state of user interface elements to assistive technologies. Most UI elements in DevExpress Blazor Report Viewer can be accessed with the keyboard alone and announced by appropriate assistive technologies.</p> <p>Report Viewer elements meet minimum contrast requirements. Developers can customize color schemes. All UI text can be enlarged to 200%, but a document page at 400% magnification cannot display its entire content and requires horizontal and vertical scrolling.</p> <p>For additional information, refer to the following WCAG 2.2 criteria:</p> <ul style="list-style-type: none"> • 1.4.3 Contrast (Minimum) • 1.4.4 Resize Text • 1.4.10 Reflow • 1.4.11 Non-text Contrast

Criteria	Conformance Level	Remarks and Explanations
4.2.3 Usage without perception of color	Supports	The DevExpress Blazor Report Viewer does not use color alone to convey information. Report Viewer elements meet minimum contrast requirements. Developers can customize color schemes.
4.2.4 Usage without hearing	Not Applicable	The DevExpress Blazor Report Viewer has no audio features.
4.2.5 Usage with limited hearing	Not Applicable	The DevExpress Blazor Report Viewer has no audio features.
4.2.6 Usage with no or limited vocal capability	Not Applicable	The DevExpress Blazor Report Viewer does not require speech input.
4.2.7 Usage with limited manipulation or strength	Partially Supports	<p>The DevExpress Blazor Report Viewer and most embedded editors are operable with a keyboard and can be used without a pointing device.</p> <p>For additional information, refer to the following WCAG 2.2 criteria:</p> <ul style="list-style-type: none"> - 2.1.1 Keyboard - 2.1.2 No Keyboard Trap
4.2.8 Usage with limited reach	Partially Supports	<p>The DevExpress Blazor Report Viewer supports standard input mechanisms such as keyboard and pointing devices.</p> <p>Blazor Report Viewer operations do not require fine motor controls.</p>
4.2.9 Minimize photosensitive seizure triggers	Not Applicable	The DevExpress Blazor Report Viewer does not include content that flashes.
4.2.10 Usage with limited cognition, language or learning	Partially Supports	<p>Users with limited language, cognitive, and learning abilities can use text-to-speech assistive technologies that rely on information provided by the DevExpress Blazor Report Viewer via UI Automation.</p> <p>For additional information, refer to the following WCAG 2.2 criteria:</p> <ul style="list-style-type: none"> - 2.5.3 Label in Name - 4.1.2 Name, Role, Value

Criteria	Conformance Level	Remarks and Explanations
		<p>Developers can implement input validation procedures, display validation errors, and provide information about errors to assistive technologies. Developers can implement suggestions when an error occurs.</p> <p>For additional information, refer to the following WCAG 2.2 criterion:</p> <ul style="list-style-type: none"> - 3.3.1 Error Identification
4.2.11 Privacy	Does Not Support	The DevExpress Blazor Report Viewer does not provide a special means to enforce privacy.

Clause [5: Generic Requirements](#)

Notes: Subsections 5.1, 5.5 to 5.9 are removed, because these criteria are not applicable to web products.

Criteria	Conformance Level	Remarks and Explanations
5.2 Activation of accessibility features	Not Applicable	DevExpress does not provide end-user documentation on accessibility features.
5.3 Biometrics	Not Applicable	The product does not use biological characteristics for user identification or for ICT control.
5.4 Preservation of accessibility information during conversion	Partially Supports	The format of an exported document determines whether the DevExpress Blazor Report Viewer retains accessibility information in the exported document.

Clause [6: ICT with Two-Way Voice Communication](#)

Notes: Not Applicable.

Clause [7: ICT with Video Capabilities](#)

Notes: Not Applicable.

Clause [8: Hardware](#)

Notes: Not Applicable.

Clause [9: Web](#) (see [WCAG 2.2 section](#))

Clause [10: Non-Web Documents](#)

Notes: Not Applicable.

Clause [11: Software](#)

Notes: Subsections 11.1 to 11.5 are not applicable.

Criteria	Conformance Level	Remarks and Explanations
11.0 General (informative)	Heading cell – no response required	Heading cell – no response required
11.1.1.1 through 11.4.1.3	See WCAG 2.x	See WCAG 2.x
11.5 Interoperability with assistive technology	Heading cell – no response required	Heading cell – no response required
11.5.1 Closed functionality	Heading cell – no response required	Heading cell – no response required
11.5.2 Accessibility services	Heading cell – no response required	Heading cell – no response required
11.5.2.1 Platform accessibility service support for software that provides a user interface	See 11.5.2.5 through 11.5.2.17	See 11.5.2.5 through 11.5.2.17
11.5.2.3 Use of accessibility services	See 11.5.2.5 through 11.5.2.17	See 11.5.2.5 through 11.5.2.17

Criteria	Conformance Level	Remarks and Explanations
11.5.2.4 Assistive technology	Not Applicable	Developers can implement user control of accessibility features.
11.5.2.5 Object information	Partially Supports	<p>Role, state(s), properties, boundary, name, and component descriptions can be programmatically determined by assistive technologies.</p> <p>For additional information, refer to the following WCAG 2.2 criterion:</p> <ul style="list-style-type: none"> - 4.1.2 Name, Role, Value
11.5.2.6 Row, column, and headers	Partially Supports	<p>The DevExpress Blazor Report Viewer contains programmatically determinable information about the current value and any set or range of allowable values associated with an object.</p> <p>For additional information, refer to the following WCAG 2.2 criterion:</p> <ul style="list-style-type: none"> - 4.1.2 Name, Role, Value
11.5.2.7 Values	Partially Supports	<p>For additional information, refer to the following WCAG 2.2 criterion:</p> <ul style="list-style-type: none"> - 4.1.2 Name, Role, Value
11.5.2.8 Label relationships	Partially Supports	<p>The relationship of a label and its associated component is programmatically determinable.</p> <p>For additional information, refer to the following WCAG 2.2 criteria:</p> <ul style="list-style-type: none"> - 2.5.3 Label in Name - 4.1.2 Name, Role, Value

Criteria	Conformance Level	Remarks and Explanations
11.5.2.9 Parent-child relationships	Partially Supports	<p>The DevExpress Blazor Report Viewer provides programmatically determinable information about hierarchical relationships.</p> <p>For exceptions, refer to the following WCAG 2.2 criterion:</p> <ul style="list-style-type: none"> - 1.3.1 Info and Relationships
11.5.2.10 Text	Partially Supports	<p>Most text editors used within the DevExpress Blazor Report Viewer provide information on selection and clipboard operations to assistive technologies.</p>
11.5.2.11 List of available actions	Partially Supports	<p>A list of all actions that can be executed on an object can be determined programmatically.</p> <p>For exceptions, refer to the following WCAG 2.2 criteria:</p> <ul style="list-style-type: none"> - 2.1.1 Keyboard - 4.1.2 Name, Role, Value
11.5.2.12 Execution of available actions	Partially Supports	<p>The DevExpress Blazor Report Viewer allows assistive technologies to programmatically execute available actions on objects.</p> <p>For exceptions, refer to the following WCAG 2.2 criteria:</p> <ul style="list-style-type: none"> - 2.1.1 Keyboard - 4.1.2 Name, Role, Value
11.5.2.13 Tracking of focus and selection attributes	Supports	<p>The DevExpress Blazor Report Viewer visually indicates focus position and exposes focus information to assistive technologies.</p> <p>For exceptions, refer to the following WCAG 2.2 criteria:</p> <ul style="list-style-type: none"> - 2.1.1 Keyboard - 2.4.3 Focus Order

Criteria	Conformance Level	Remarks and Explanations
		- 4.1.2 Name, Role, Value
11.5.2.14 Modification of focus and selection attributes	Partially Supports	<p>The DevExpress Blazor Report Viewer allows assistive technologies to programmatically set focus, text insertion point, and selection attributes.</p> <p>Restrictions:</p> <ul style="list-style-type: none"> - Editors with mask functionality could override caret position and/or selection.
11.5.2.15 Change notification	Partially Supports	The DevExpress Blazor Report Viewer notifies assistive technologies about certain events, such as document generation start, progress, and completion.
11.5.2.16 Modifications of states and properties	Supports	States and properties that can be modified by an individual, can be modified programmatically, including through assistive technologies.
11.5.2.17 Modifications of values and text	Supports	Text that can be specified by a user, can be set programmatically, including through assistive technologies.
11.6 Documented accessibility usage	Heading cell – no response required	Heading cell – no response required
11.6.1 User control of accessibility features	Not Applicable	Developers can implement user control of accessibility features.
11.6.2 No disruption of accessibility features	Supports	The DevExpress Blazor Report Viewer does not disrupt normal operation of platform accessibility features.
11.8 Authoring tools	Heading cell – no response required	Heading cell – no response required
11.8.1 Content technology	Heading cell – no response required	Heading cell – no response required
11.8.2 Accessible content creation	Not Applicable	The DevExpress Blazor Report Viewer is not an authoring tool.

Criteria	Conformance Level	Remarks and Explanations
11.8.3 Preservation of accessibility information in transformations	Partially Supports	The format of an exported document determines whether the DevExpress Blazor Report Viewer retains accessibility information in the exported document.
11.8.4 Repair assistance	Not Applicable	The DevExpress Blazor Report Viewer is not an authoring tool.
11.8.5 Templates	Not Applicable	The DevExpress Blazor Report Viewer does not provide templates.

Clause [12: Documentation and Support Services](#)

Notes: Not Applicable. DevExpress does not provide documentation or support for end users.

Clause [13: ICT Providing Relay or Emergency Service Access](#)

Notes: Not Applicable.

Legal Disclaimer (Company)

This document is for informational purposes only. This document does not constitute a legal claim of compliance. DEVELOPER EXPRESS INC MAKES NO WARRANTIES, EXPRESS OR IMPLIED, IN THIS DOCUMENT.

The information contained in this document represents the current view of Developer Express Inc on accessibility-related issues as of the date of publication. Because Developer Express Inc must respond to changing market conditions, statements made within this document should not be interpreted to be a commitment on the part of Developer Express Inc. Developer Express Inc does not and cannot guarantee the accuracy of any information contained within this document on or after the date of publication.

© 1998-2025 Developer Express Inc. All rights reserved. Developer Express logo is a trademark of Developer Express in the United States and/or other countries. The names of third parties and/or third-party products mentioned herein may be the trademarks of their respective owners. Developer Express Inc updates its website and provides new information about the accessibility of products as that information becomes available.