

DevExpress Accessibility Conformance Report International Edition

(Based on VPAT® Version 2.5)

Name of Product/Version: DevExpress VCL Controls v25.1

Report Date: July 2025

Contact Information: clientservices@devexpress.com

Scope: DevExpress VCL components, with the exceptions outlined below.

Assistive technologies, such as narrators, request accessible information via UI Automation. Refer to the following help topic for a complete list of DevExpress controls with support for assistive technologies via UI Automation interfaces: [DevExpress VCL Controls - Accessibility Support](#).

Evaluation Methods Used: Conformance to listed accessibility standards has been evaluated by DevExpress using a combination of static analysis tools (Accessibility Insights, Inspect) and manual testing with assistive technologies (Narrator).

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standards/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A (Yes) Level AA (Yes) Level AAA (No)
Web Content Accessibility Guidelines 2.1	Level A (Yes) Level AA (Yes) Level AAA (No)
Web Content Accessibility Guidelines 2.2	Level A (Yes) Level AA (Yes) Level AAA (No)
Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018	(Yes)
EN 301 549 Accessibility requirements for ICT products and services - V3.1.1 (2019-11) AND EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 (2021-03)	(Yes)

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some product-related functionality does not meet the criterion.
- **Does Not Support:** The majority of product-related functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

WCAG 2.2 Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 - Web, Sections 10.1-10.4 of Chapter 10 - Non-Web documents, and Sections 11.1-11.4 and 11.8.2 of Chapter 11 - Non-Web Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 – Documentation
- Revised Section 508: Chapter 5 – 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 – 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.2 Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.0 Conformance Requirements](#).

Table 1: Success Criteria, Level A

Criteria	Conformance Level	Remarks and Explanations
<p><u>1.1.1 Non-text Content</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.1.1 (Web) • 10.1.1.1 (Non-web document) • 11.1.1.1.1 (Open Functionality Software) • 11.1.1.1.2 (Closed Functionality Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	A developer can specify accessible names for controls that display non-text content. Assistive technologies can use such names to identify controls and associated content.
<p><u>1.2.1 Audio-only and Video-only (Prerecorded)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.1 (Web) • 10.1.2.1 (Non-web document) • 11.1.2.1.1 (Open Functionality Software) • 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not Applicable	DevExpress VCL Controls do not include prerecorded audio-only or video-only content.

Criteria	Conformance Level	Remarks and Explanations
<p>1.2.2 Captions (Prerecorded) (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.2.2 (Web) 10.1.2.2 (Non-web document) 11.1.2.2 (Open Functionality Software) 11.1.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Not Applicable	DevExpress VCL Controls do not include prerecorded audio or video content.
<p>1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.2.3 (Web) 10.1.2.3 (Non-web document) 11.1.2.3.1 (Open Functionality Software) 11.1.2.3.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Not Applicable	DevExpress VCL Controls do not include prerecorded audio and video content.

Criteria	Conformance Level	Remarks and Explanations
<p>1.3.1 Info and Relationships (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.3.1 (Web) 10.1.3.1 (Non-web document) 11.1.3.1.1 (Open Functionality Software) 11.1.3.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Partially Supports	<p>Assistive technologies, such as screen readers, can determine structure and relationships of visual elements. Exceptions:</p> <ul style="list-style-type: none"> ExpressQuantumGrid: <ul style="list-style-type: none"> In Master-Detail mode, when a group or master row is expanded or collapsed, no action announcement occurs. Only Table and Banded Table Views support this criterion. ExpressLayoutControl does not provide accessible information about group structure. Assistive technologies can only determine the focused UI element's immediate parent group.
<p>1.3.2 Meaningful Sequence (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.3.2 (Web) 10.1.3.2 (Non-web document) 11.1.3.2.1 (Open Functionality Software) 11.1.3.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Partially Supports	<p>Component content is presented in a meaningful sequence.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>1.3.3 Sensory Characteristics (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.3 (Web) • 10.1.3.3 (Non-web document) • 11.1.3.3 (Open Functionality Software) • 11.1.3.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	<p>DevExpress VCL Controls include APIs that allow developers to customize color, shape, and visual location. Controls do not rely solely on sensory characteristics to convey information.</p>
<p>1.4.1 Use of Color (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.1 (Web) • 10.1.4.1 (Non-web document) • 11.1.4.1 (Open Functionality Software) • 11.1.4.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	<p>Most controls do not use color coding as the only means of conveying information.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.2 Audio Control (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.4.2 (Web) 10.1.4.2 (Non-web document) 11.1.4.2 (Open Functionality Software) 11.1.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Not Applicable	DevExpress VCL Controls do not contain audio content.
<p>2.1.1 Keyboard (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.1.1 (Web) 10.2.1.1 (Non-web document) 11.2.1.1.1 (Open Functionality Software) 11.2.1.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Partially Supports	<p>Control functionality is generally accessible through a keyboard interface.</p> <p>Specific operations, such as drag-and-drop, can be executed from a keyboard only when an end user enables the Mouse Keys feature in Microsoft Windows. Alternatively, application developers can control these operations through APIs. Developers can introduce keyboard shortcuts or auxiliary controls that enable end users to access all product functionality using a keyboard.</p> <p>The following keyboard operations are unavailable:</p> <ul style="list-style-type: none"> ExpressBars <ul style="list-style-type: none"> Focus the More button. ExpressNavBar

Criteria	Conformance Level	Remarks and Explanations
		<ul style="list-style-type: none"> ○ Navigate to the menu button and footer buttons. ○ Navigate through items. ○ Focus a group's header and expand/collapse button. • ExpressEditors <ul style="list-style-type: none"> ○ All Editors with Embedded Buttons: Focus editor buttons using the keyboard (without a screen reader app). ○ Focus the navigation panel in date editors. • ExpressQuantumGrid <ul style="list-style-type: none"> ○ Focus column headers and execute all associated operations (sort, filter, etc.). As a workaround, developers can use ExpressQuantumGrid control's APIs and a key press event. ○ Focus a filter pop-up window in compact mode. ○ Navigate through Data Navigator elements. • ExpressLayoutControl <ul style="list-style-type: none"> ○ Customize the layout in customization mode. ○ Expand/collapse groups. ○ Scroll content. ○ Focus header buttons and radio button items.
<p>2.1.2 No Keyboard Trap (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1.2 (Web) • 10.2.1.2 (Non-web document) • 11.2.1.2 (Open Functionality Software) • 11.2.1.2 (Closed Software) 	Supports	Users need to press the <i>Tab</i> or <i>Shift+Tab</i> shortcut to move focus away from the ExpressQuantumGrid control.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		
<p>2.1.4 Character Key Shortcuts (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.1.4 (Web) 10.2.1.4 (Non-web document) 11.2.1.4.1 (Open Functionality Software) 11.2.1.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	DevExpress VCL Controls do not contain built-in single-symbol shortcuts. Where acceptable, developers can configure their own shortcuts that match this criterion.
<p>2.2.1 Timing Adjustable (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.2.1 (Web) 10.2.2.1 (Non-web document) 11.2.2.1 (Open Functionality Software) 11.2.2.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 	Not Applicable	DevExpress VCL Controls do not include any time-controlled content.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 504.2 (Authoring Tool) 602.3 (Support Docs) 		
<p>2.2.2 Pause, Stop, Hide (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.2.2 (Web) 10.2.2.2 (Non-web document) 11.2.2.2 (Open Functionality Software) 11.2.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	DevExpress VCL Controls do not include elements that move, blink, scroll, or auto-update.
<p>2.3.1 Three Flashes or Below Threshold (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.3.1 (Web) 10.2.3.1 (Non-web document) 11.2.3.1 (Open Functionality Software) 11.2.3.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	DevExpress VCL Controls do not include any flashing content.

Criteria	Conformance Level	Remarks and Explanations
<p>2.4.1 Bypass Blocks (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.1 (Web) • 10.2.4.1 (Non-web document) – Does not apply • 11.2.4.1 (Open Functionality Software) – Does not apply • 11.2.4.1 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 	Not Applicable	DevExpress VCL Controls do not contain web pages.
<p>2.4.2 Page Titled (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.2 (Web) • 10.2.4.2 (Non-web document) • 11.2.4.2 (Open Functionality Software) - Does not apply • 11.2.4.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not Applicable	DevExpress VCL Controls do not contain web pages.

Criteria	Conformance Level	Remarks and Explanations
<p><u>2.4.3 Focus Order</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.3 (Web) • 10.2.4.3 (Non-web document) • 11.2.4.3 (Open Functionality Software) • 11.2.4.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Partially Supports	A user can navigate through DevExpress VCL Controls sequentially and navigation sequence follows the visual order.
<p><u>2.4.4 Link Purpose (In Context)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.4 (Web) • 10.2.4.4 (Non-web document) • 11.2.4.4 (Open Functionality Software) • 11.2.4.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	The purpose of links displayed in DevExpress VCL Controls can be determined from the link text alone or from the programmatic context of the link.
<p><u>2.5.1 Pointer Gestures</u> (Level A 2.1 and 2.2)</p> <p>Also applies to:</p>	Supports	DevExpress controls only require simple gestures.

Criteria	Conformance Level	Remarks and Explanations
<p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.1 (Web) • 10.2.5.1 (Non-web document) • 11.2.5.1 (Open Functionality Software) • 11.2.5.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>		
<p>2.5.2 Pointer Cancellation (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.2 (Web) • 10.2.5.2 (Non-web document) • 11.2.5.2 (Open Functionality Software) • 11.2.5.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	DevExpress VCL Controls do not execute any essential activity that cannot be aborted or undone using the up-event.
<p>2.5.3 Label in Name (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.3 (Web) • 10.2.5.3 (Non-web document) • 11.2.5.3.1 (Open Functionality Software) • 11.2.5.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) 	Partially Supports	Editors do not specify accessible names in built-in dialogs.

Criteria	Conformance Level	Remarks and Explanations
Revised Section 508 – Does not apply		
<p>2.5.4 Motion Actuation (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.5.4 (Web) 10.2.5.4 (Non-web document) 11.2.5.4 (Open Functionality Software) 11.2.5.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Not Applicable	DevExpress VCL Controls do not contain functionality that can be operated by device motion or user motion.
<p>3.1.1 Language of Page (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.3.1.1 (Web) 10.3.1.1 (Non-web document) 11.3.1.1.1 (Open Functionality Software) 11.3.1.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Support	DevExpress VCL Controls ship with a standalone Localizer Editor tool. App developers/vendors can use this tool to translate all UI elements in DevExpress VCL Controls in any target language.
<p>3.2.1 On Focus (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p>	Supports	When a component receives focus, it does not initiate a change of context.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 9.3.2.1 (Web) 10.3.2.1 (Non-web document) 11.3.2.1 (Open Functionality Software) 11.3.2.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		
3.2.2 On Input (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.2.2 (Web) 10.3.2.2 (Non-web document) 11.3.2.2 (Open Functionality Software) 11.3.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	Changing the setting of a component does not automatically cause a change of context.
3.2.6 Consistent Help (Level A 2.2 only)	Not Applicable	DevExpress VCL Controls do not include incorporated help mechanisms.
3.3.1 Error Identification (Level A) Also applies to:	Does not Support	

Criteria	Conformance Level	Remarks and Explanations
EN 301 549 Criteria <ul style="list-style-type: none"> • 9.3.3.1 (Web) • 10.3.3.1 (Non-web document) • 11.3.3.1.1 (Open Functionality Software) • 11.3.3.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
3.3.2 Labels or Instructions (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.3.3.2 (Web) • 10.3.3.2 (Non-web document) • 11.3.3.2 (Open Functionality Software) • 11.3.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	Input elements inside DevExpress VCL Controls include associated labels or instructions.
3.3.7 Redundant Entry (Level A 2.2 only)	Supports	Built-in DevExpress multiple-page dialogs do not require users to enter previously entered information.

Criteria	Conformance Level	Remarks and Explanations
<p>4.1.1 Parsing (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.4.1.1 (Web) • 10.4.1.1 (Non-web document) • 11.4.1.1.1 (Open Functionality Software) • 11.4.1.1.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not Applicable	<p>For WCAG 2.0, 2.1, EN 301 549, and Revised 508 Standards, the September 2023 errata update indicates that this criterion is always supported. See WCAG 2.0 Editorial Errata and WCAG 2.1 Editorial Errata. This criterion is obsolete in WCAG 2.2.</p>
<p>4.1.2 Name, Role, Value (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.4.1.2 (Web) • 10.4.1.2 (Non-web document) • 11.4.1.2.1 (Open Functionality Software) • 11.4.1.2.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Partially Supports	<p>Name, role, value, and state of controls/elements are detectable and modifiable by assistive technology. Exceptions:</p> <ul style="list-style-type: none"> • ExpressBars <ul style="list-style-type: none"> ○ Menu item expanded state. • ExpressNavBar <ul style="list-style-type: none"> ○ Group expanded state. ○ Item focus. • RadioGroup <ul style="list-style-type: none"> ○ Control value. • ExpressQuantumGrid <ul style="list-style-type: none"> ○ Group row expanded state. ○ Information about built-in dialogs and editors. ○ Summary values in group rows. ○ Grid values if changed via APIs. ○ Read-only cell status.

Criteria	Conformance Level	Remarks and Explanations
		<ul style="list-style-type: none"> • ExpressEditors <ul style="list-style-type: none"> ○ TcxComboBox/TcxDBComboBox value. ○ TdxTreeViewControl - node expand state. ○ TcxDateEdit/TcxDBDateEdit - cell selection in the drop-down window.

Table 2: Success Criteria, Level AA

Criteria	Conformance Level	Remarks and Explanations
<p>1.2.4 Captions (Live) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.4 (Web) • 10.1.2.4 (Non-web document) • 11.1.2.4 (Open Functionality Software) • 11.1.2.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not Applicable	DevExpress VCL Controls do not contain live audio content.
<p>1.2.5 Audio Description (Prerecorded) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.5 (Web) • 10.1.2.5 (Non-web document) • 11.1.2.5 (Open Functionality Software) 	Not Applicable	DevExpress VCL Controls do not contain prerecorded video content.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 11.1.2.5 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		
<p>1.3.4 Orientation (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.3.4 (Web) 10.1.3.4 (Non-web document) 11.1.3.4 (Open Functionality Software) 11.1.3.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Not Applicable	DevExpress VCL Controls do not restrict view and operation to a single display orientation.
<p>1.3.5 Identify Input Purpose (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.3.5 (Web) 10.1.3.5 (Non-web document) 11.1.3.5.1 (Open Functionality Software) 11.1.3.5.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Not applicable	DevExpress VCL Controls do not include built-in forms referenced by this criterion.

Criteria	Conformance Level	Remarks and Explanations
<p><u>1.4.3 Contrast (Minimum)</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.3 (Web) • 10.1.4.3 (Non-web document) • 11.1.4.3 (Open Functionality Software) • 11.1.4.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	DevExpress VCL Controls ship with high-contrast skins/app themes. App vendors/developers can use the DevExpress Skin Editor to create custom high-contrast skins as requirements dictate.
<p><u>1.4.4 Resize text</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.4 (Web) • 10.1.4.4 (Non-web document) • 11.1.4.4.1 (Open Functionality Software) • 11.1.4.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	Text can be resized without assistive technology up to 200 percent without loss of content or functionality.

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.5 Images of Text (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.4.5 (Web) 10.1.4.5 (Non-web document) 11.1.4.5.1 (Open Functionality Software) 11.1.4.5.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	DevExpress VCL Controls do not contain images of text.
<p>1.4.10 Reflow (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.4.10 (Web) 10.1.4.10 (Non-web document) 11.1.4.10 (Open Functionality Software) 11.1.4.10 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	Depends on application implementation.
<p>1.4.11 Non-text Contrast (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.4.11 (Web) 10.1.4.11 (Non-web document) 	Supports	A developer can specify accessible names for controls that display non-text content. Assistive technologies can use these names to identify controls and associated content.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> • 11.1.4.11 (Open Functionality Software) • 11.1.4.11 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply		
<p><u>1.4.12 Text Spacing</u> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.12 (Web) • 10.1.4.12 (Non-web document) • 11.1.4.12 (Open Functionality Software) • 11.1.4.12 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Supports	<p>The spacing between letters, words, lines of text and/or paragraphs can be adjusted without loss of content or functionality for all controls.</p>
<p><u>1.4.13 Content on Hover or Focus</u> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.13 (Web) • 10.1.4.13 (Non-web document) • 11.1.4.13 (Open Functionality Software) • 11.1.4.13 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Partially Supports	<p>DevExpress VCL Controls can manage the position and lifetime of a tooltip.</p> <p>Exception:</p> <ul style="list-style-type: none"> • A user cannot hover tooltips.

Criteria	Conformance Level	Remarks and Explanations
<p>2.4.5 Multiple Ways (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.5 (Web) • 10.2.4.5 (Non-web document) – Does not apply • 11.2.4.5 (Open Functionality Software) – Does not apply • 11.2.4.5 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 	Not Applicable	DevExpress VCL Controls do not contain web pages.
<p>2.4.6 Headings and Labels (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.6 (Web) • 10.2.4.6 (Non-web document) • 11.2.4.6 (Open Functionality Software) • 11.2.4.6 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	DevExpress VCL Controls allow application developers to customize the content and style of headings and labels within UI controls.

Criteria	Conformance Level	Remarks and Explanations
<p>2.4.7 Focus Visible (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.7 (Web) • 10.2.4.7 (Non-web document) • 11.2.4.7 (Open Functionality Software) • 11.2.4.7 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	Keyboard operable components clearly display the focus indicator.
<p>2.4.11 Focus Not Obscured (Minimum) (Level AA 2.2 only)</p>	Supports	DevExpress VCL components don't obscure focus in the default configuration. However, end users may position floating dock panels so that they block/obscure the focused element.
<p>2.5.7 Dragging Movements (Level AA 2.2 only)</p>	Partially Supports	<p>DevExpress VCL components meet this criterion with the following exceptions:</p> <ul style="list-style-type: none"> • ExpressQuantumGrid: <ul style="list-style-type: none"> ○ Column resizing ○ Column reordering ○ Row drag & drop (when enabled)

Criteria	Conformance Level	Remarks and Explanations
<p>2.5.8 Target Size (Minimum) (Level AA 2.2 only)</p>	Partially Supports	<p>The following DevExpress VCL components may contain pointer input areas smaller than 24x24 pixels depending on the applied skin/app theme:</p> <ul style="list-style-type: none"> • TcxSpinEdit: Spin buttons. • ExpressQuantumGrid: Column resize splitters and filter buttons. • Windows: Resize grips. <p>Use Touch Skins to enlarge pointer input areas for all DevExpress components.</p>
<p>3.1.2 Language of Parts (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.1.2 (Web) • 10.3.1.2 (Non-web document) • 11.3.1.2 (Open Functionality Software) – Does not apply • 11.3.1.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Support	<p>DevExpress VCL Controls ship with a standalone Localizer Editor tool. App developers/vendors can use this tool to translate all UI elements in DevExpress VCL Controls in any target language.</p>
<p>3.2.3 Consistent Navigation (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.3 (Web) • 10.3.2.3 (Non-web document) – Does not apply 	Not Applicable	<p>DevExpress VCL Controls do not contain web pages.</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> • 11.3.2.3 (Open Functionality Software) – Does not apply • 11.3.2.3 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 		
<p><u>3.2.4 Consistent Identification</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.4 (Web) • 10.3.2.4 (Non-web document) – Does not apply • 11.3.2.4 (Open Functionality Software) – Does not apply • 11.3.2.4 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 	Not Applicable	DevExpress VCL Controls do not contain web pages.
<p><u>3.3.3 Error Suggestion</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.3 (Web) • 10.3.3.3 (Non-web document) • 11.3.3.3 (Open Functionality Software) • 11.3.3.3 (Closed Software) 	Supports	DevExpress VCL Controls allow application developers to customize error descriptions.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		
3.3.4 Error Prevention (Legal, Financial, Data) (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.3.4 (Web) 10.3.3.4 (Non-web document) 11.3.3.4 (Open Functionality Software) 11.3.3.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	DevExpress VCL Controls can validate user-entered data.
3.3.8 Accessible Authentication (Minimum) (Level AA 2.2 only)	Not Applicable	DevExpress VCL Controls do not include built-in authentication mechanisms.
4.1.3 Status Messages (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.4.1.3 (Web) 10.4.1.3 (Non-web document) 11.4.1.3 (Open Functionality Software) 	Supports	DevExpress VCL Controls notify users of important changes in content.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none">• 11.4.1.3 (Closed Software) – Does not apply• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) Revised Section 508 – Does not apply		

Table 3: Success Criteria, Level AAA

Note: Table 3 has been removed because DevExpress VCL Controls have not been tested for conformance to WCAG Level AAA criteria.

Revised Section 508 Report

Chapter 3: [Functional Performance Criteria \(FPC\)](#)

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Partially Supports	Most features in DevExpress VCL Controls can be reached with the keyboard alone and announced by assistive technologies. Refer to the WCAG 2.2 Report for exceptions.
302.2 With Limited Vision	Partially Supports	DevExpress VCL Controls support platform scaling functions and include high contrast skins. Refer to the following criteria in the WCAG 2.2 Report for additional information: 1.3.3 Sensory Characteristics 1.4.3 Contrast (Minimum) 1.4.10 Reflow 1.4.11 Non-text Contrast 1.4.12 Text Spacing 1.4.13 Content on Hover or Focus
302.3 Without Perception of Color	Supports	Information conveyed by color is also available in text. Element contrast is customizable.
302.4 Without Hearing	Not Applicable	DevExpress VCL Controls do not include audio content.
302.5 With Limited Hearing	Not Applicable	DevExpress VCL Controls do not include audio content.
302.6 Without Speech	Not Applicable	DevExpress VCL Controls do not require speech to operate or retrieve information.
302.7 With Limited Manipulation	Partially Supports	Most DevExpress VCL Controls are operable with a keyboard and can be used without a pointing device. Refer to the following criteria in

Criteria	Conformance Level	Remarks and Explanations
		<p>the WCAG 2.2 Report for additional information:</p> <ul style="list-style-type: none"> 2.1.1 Keyboard 2.1.2 No Keyboard Trap 2.1.4 Character Key Shortcuts 2.4.7 Focus Visible <p>Most DevExpress VCL Controls provide automation interfaces that can be used by assistive technologies to interact with a UI element. See the following criterion in the WCAG 2.2 Report:</p> <ul style="list-style-type: none"> 4.1.2 Name, Role, Value <p>DevExpress VCL Controls do not use multi-point or path-based gestures and support standard input tools such as keyboards and pointing devices. Fine motor control or simultaneous manual operations are not required. Mouse pointer interaction is implemented according to WCAG 2.2 requirements. See the following criteria:</p> <ul style="list-style-type: none"> 2.5.1 Pointer Gestures 2.5.2 Pointer Cancellation <p>DevExpress VCL Controls don't rely on motion actions. Review the following criterion:</p> <ul style="list-style-type: none"> 2.5.4 Motion Actuation
302.8 With Limited Reach and Strength	Partially Supports	<p>Developers can implement interfaces for users with limited reach and strength:</p> <ul style="list-style-type: none"> - Most DevExpress controls are operable with standard keyboard devices.

Criteria	Conformance Level	Remarks and Explanations
		<ul style="list-style-type: none"> - Sequential focus order allows users to utilize alternative focus-based input devices, such as switches. - UI Automation patterns supported in most DevExpress controls allow assistive technologies to interact with UI components via voice-based commands. <p>For additional information, refer to the following criteria:</p> <ul style="list-style-type: none"> - Section 508 – 302.7 With Limited Manipulation - WCAG 2.2 – 4.1.2 Name, Role, Value
302.9 With Limited Language, Cognitive, and Learning Abilities	Not Applicable	<p>Users with limited language, cognitive, and learning abilities can use text-to-speech assistive tools that rely on information provided by DevExpress components via UI Automation. See the following sections in the WCAG 2.2 Report for additional information:</p> <p>4.2.10 Non-text Content 2.5.3 Label in Name 4.1.2 Name, Role, Value</p> <p>DevExpress controls don't change context on focus or input, thus reducing the chance of an unexpected context change. See the following sections in the WCAG 2.2 Report for additional information:</p> <p>3.2.1 On Focus 3.2.2 On Input</p> <p>DevExpress controls display validation errors and provide validation-related information to assistive tools. Developers can implement suggestions when errors occur. See the following sections in the WCAG 2.2 Report for additional information:</p>

Criteria	Conformance Level	Remarks and Explanations
		3.3.1 Error Identification 3.3.3 Error Suggestion

Chapter 4: [Hardware](#)

Note: These criteria are Not Applicable because the product is not Hardware.

Chapter 5: [Software](#)

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope – Incorporation of WCAG 2.0 AA	See WCAG 2.2 section	See information in WCAG 2.2 section
502 Interoperability with Assistive Technology	Heading cell – no response required	Heading cell – no response required
502.2.1 User Control of Accessibility Features	Not Applicable	It is up to application developers to provide user control of accessibility features.
502.2.2 No Disruption of Accessibility Features	Supports	DevExpress VCL Controls do not disrupt normal operation of platform accessibility features.
502.3 Accessibility Services	Heading cell – no response required	Heading cell – no response required
502.3.1 Object Information	Partially Supports	Role, state(s), properties, boundary, name, and description of components can be programmatically determined by assistive technologies. For exceptions, refer to the following criterion in the WCAG 2.2 Report: 4.1.2 Name, Role, Value
502.3.2 Modification of Object Information	Partially Supports	States and properties of components can be set programmatically, including through assistive technologies.

Criteria	Conformance Level	Remarks and Explanations
		For exceptions, refer to the following criterion in the WCAG 2.2 Report: 4.1.2 Name, Role, Value
502.3.3 Row, Column, and Headers	Partially Supports	DevExpress table-based Controls provide information about a cell's row and column with the exceptions listed in the following WCAG 2.2 criterion: 1.3.1 Info and Relationships
502.3.4 Values	Partially Supports	DevExpress VCL Controls contain programmatically determinable information about the current value, and any set or range of allowable values associated with an object. For exceptions, refer to the following criterion in the WCAG 2.2 Report: 4.1.2 Name, Role, Value
502.3.5 Modification of Values	Partially Supports	Element values can be set programmatically, including through assistive technologies. For exceptions, refer to the following criterion in the WCAG 2.2 Report: 4.1.2 Name, Role, Value
502.3.6 Label Relationships	Partially Supports	A relationship that a component has as a label for another component, or as one labeled by another component, is programmatically determinable. For exceptions, refer to the following criterion in the WCAG 2.2 Report: 2.5.3 Label in Name

Criteria	Conformance Level	Remarks and Explanations
502.3.7 Hierarchical Relationships	Partially Supports	<p>DevExpress VCL Controls provide programmatically determinable information about hierarchical relationships.</p> <p>For exceptions, refer to the following criterion in the WCAG 2.2 Report: 1.3.1 Info and Relationships</p>
502.3.8 Text	Supports	<p>DevExpress VCL Controls provide programmatically determinable information about the content of text objects, text attributes, and the boundary of text rendered to screen.</p>
502.3.9 Modification of Text	Supports	<p>Text that can be set by a user can be set programmatically, including through assistive technologies.</p>
502.3.10 List of Actions	Partially Supports	<p>A list of all actions that can be executed on an object can be determined programmatically.</p> <p>For exceptions, refer to the following criterion in the WCAG 2.2 Report: 2.1.1 Keyboard, 4.1.2 Name, Role, Value</p>
502.3.11 Actions on Objects	Partially Supports	<p>DevExpress VCL Controls allow assistive technologies to programmatically execute available actions on objects.</p> <p>For exceptions, refer to the following criterion in the WCAG 2.2 Report: 2.1.1 Keyboard, 4.1.2 Name, Role, Value</p>
502.3.12 Focus Cursor	Partially Supports	<p>DevExpress VCL Controls expose information and mechanisms necessary to track focus, text insertion point, and selection attributes of user interface components.</p> <p>For exceptions, refer to the following criteria in the WCAG 2.2 Report:</p>

Criteria	Conformance Level	Remarks and Explanations
		2.1.1 Keyboard 2.4.3 Focus Order 4.1.2 Name, Role, Value
502.3.13 Modification of Focus Cursor	Partially Supports	DevExpress VCL Controls allow assistive technologies to programmatically set focus, text insertion point, and selection attributes.
502.3.14 Event Notification	Partially Supports	DevExpress VCL Controls partially support event notifications available to assistive technologies. For exceptions, refer to the following criteria in the WCAG 2.2 Report : 4.1.3 Status Messages 4.1.2 Name, Role, Value
502.4 Platform Accessibility Features	Not Applicable	DevExpress VCL Controls do not disrupt standard platform and operating system accessibility features.
503 Applications	Heading cell – no response required	Heading cell – no response required
503.2 User Preferences	Partially Supports	DevExpress VCL Controls can obtain and apply font size and colors from operating system settings (including the high contrast theme). To obtain font scale settings, developers can handle Windows system events.
503.3 Alternative User Interfaces	Not Applicable	DevExpress VCL Controls don't include an alternative user interface that functions as an assistive technology.
503.4 User Controls for Captions and Audio Description	Heading cell – no response required	Heading cell – no response required
503.4.1 Caption Controls	Not Applicable	DevExpress VCL Controls don't play audio or video.
503.4.2 Audio Description Controls	Not Applicable	DevExpress VCL Controls don't play audio or video.

Criteria	Conformance Level	Remarks and Explanations
504 Authoring Tools	Heading cell – no response required	Heading cell – no response required
504.2 Content Creation or Editing	Partially Supports	Content created by users in ExpressSpreadSheet and ExpressRichEditControl can be consumed by assistive technologies. Software that displays this content must support appropriate accessibility interfaces. In certain instances, developers may need to add UI elements (toolbar/Ribbon items) to help users assign assistive information.
504.2.1 Preservation of Information Provided for Accessibility in Format Conversion	Partially Supports	ExpressQuantumGrid , which can be used as a component of an authoring tool, does not preserve information about image ALT text when exported to XLS or XLSX.
504.2.2 PDF Export	Does Not Support	DevExpress VCL Controls export PDF files that conform only to ISO 32000-1:2008 (PDF 1.7).
504.3 Prompts	Does Not Support	DevExpress VCL authoring tool components do not prompt authors to create accessible content.
504.4 Templates	Not Applicable	DevExpress VCL authoring tool components do not provide templates.

Chapter 6: [Support Documentation and Services](#)

Note: This document describes accessibility of DevExpress VCL Controls available for end users. Criteria in this section are Not Applicable, because DevExpress does not provide documentation or support services for end users.

EN 301 549 Report

Chapter [4: Functional Performance Statements \(FPS\)](#)

Criteria	Conformance Level	Remarks and Explanations
4.2.1 Usage without vision	Partially Supports	<p>Most features in DevExpress VCL Controls can be reached with the keyboard alone and announced by assistive technologies.</p> <p>Refer to the WCAG 2.2 section for exceptions.</p>
4.2.2 Usage with limited vision	Supports	<p>DevExpress VCL Controls support platform scaling functions and include high contrast skins (application themes).</p> <p>Refer to the following criteria in the WCAG 2.2 Report for more information:</p> <ul style="list-style-type: none"> - 1.3.3 Sensory Characteristics - 1.4.3 Contrast (Minimum) - 1.4.10 Reflow - 1.4.11 Non-text Contrast - 1.4.12 Text Spacing - 1.4.13 Content on Hover or Focus
4.2.3 Usage without perception of color	Supports	Information conveyed by color is also available in text. Element contrast is customizable.
4.2.4 Usage without hearing	Not Applicable	DevExpress VCL Controls do not include audio content.
4.2.5 Usage with limited hearing	Not Applicable	DevExpress VCL Controls do not include audio content.
4.2.6 Usage with no or limited vocal capability	Not Applicable	DevExpress VCL Controls do not require speech to operate or retrieve information.

Criteria	Conformance Level	Remarks and Explanations
4.2.7 Usage with limited manipulation or strength	Not Applicable	<p>DevExpress VCL Controls support standard input tools such as keyboards and pointing devices. Controls do not require fine motor control or simultaneous manual operations and do not have special requirements for strength.</p> <p>Refer to the WCAG 2.2 section for exceptions.</p>
4.2.8 Usage with limited reach	Partially Supports	<p>Application developers can implement interfaces for users with limited reach and strength:</p> <ul style="list-style-type: none"> - Most DevExpress components are operable with standard keyboard devices. - Sequential focus order allows users to utilize alternative focus-based input devices, such as switches. - UI Automation patterns supported in most DevExpress Controls allow assistive technologies to interact with UI components via voice-based commands. <p>For additional information, refer to the following criteria:</p> <ul style="list-style-type: none"> - Section 508 – 302.7 With Limited Manipulation - WCAG 2.2 – 4.1.2 Name, Role, Value
4.2.9 Minimize photosensitive seizure triggers	Not Applicable	<p>DevExpress VCL Controls do not include flashing content.</p>
4.2.10 Usage with limited cognition, language or learning	Supports	<p>Users with limited language, cognitive, and learning abilities can use text-to-speech assistive tools that rely on information provided by DevExpress Controls via UI Automation. See the following criteria in the WCAG 2.2 Report for additional information:</p> <ul style="list-style-type: none"> 1.1.1 Non-text Content 2.5.3 Label in Name 4.1.2 Name, Role, Value

Criteria	Conformance Level	Remarks and Explanations
		<p>DevExpress controls do not change the context on focus or input and thus reduce the chance of an unexpected context change. See the following criteria in the WCAG 2.2 Report for additional information:</p> <p>3.2.1 On Focus 3.2.2 On Input</p> <p>DevExpress controls display validation errors and provide error information to assistive tools. Developers can implement suggestions when errors occur. See the following criteria in the WCAG 2.2 Report for additional information:</p> <p>3.3.1 Error Identification 3.3.3 Error Suggestion</p>
4.2.11 Privacy	Not Applicable	DevExpress VCL Controls do not provide any privacy features.

Chapter [5: Generic Requirements](#)

Note: Subsections 5.1 and 5.5 are removed, because these criteria are applicable only to closed functionality systems and operable parts of information systems.

Criteria	Conformance Level	Remarks and Explanations
5.2 Activation of accessibility features	Not Applicable	DevExpress does not provide documentation on accessibility features for end users.
5.3 Biometrics	Not Applicable	DevExpress VCL Controls do not use biological characteristics for user identification or for control of ICT.
5.4 Preservation of accessibility information during conversion	Partially Supports	DevExpress VCL Controls may not preserve all available accessible information when the application code saves data to PDF, DOCX, HTML, and other file formats.

Criteria	Conformance Level	Remarks and Explanations
5.6 Locking or toggle controls	Heading cell – no response required	Heading cell – no response required
5.6.1 Tactile or auditory status	Supports	DevExpress VCL Controls that can be used as locking or toggle controls raise events when their states change. Developers can handle these events to play a sound.
5.6.2 Visual status	Supports	DevExpress VCL Controls that can be used as locking or toggle controls, include properties that developers can use to change appearance based on state.
5.7 Key repeat	Not Applicable	DevExpress VCL Controls do not implement key repeat functionality. This option is supported by the OS.
5.8 Double-strike key acceptance	Not Applicable	DevExpress VCL Controls do not implement double-strike key functionality. This option is supported by the OS.
5.9 Simultaneous user actions	Not Applicable	DevExpress VCL Controls do not include functionality that requires multiple simultaneous actions.

Chapter [6: ICT with Two-Way Voice Communication](#)

Note: Chapter 6 criteria are Not Applicable because the product is not ICT with two-way voice communication.

Chapter [7: ICT with Video Capabilities](#)

Note: Chapter 7 criteria are Not Applicable because the product is not ICT with video capabilities.

Chapter [8: Hardware](#)

Note: Chapter 8 criteria are Not Applicable because the product is not Hardware.

Chapter [9: Web](#) (see [WCAG 2.2 section](#))

Chapter [10: Non-Web Documents](#)

Note: Chapter 10 criteria are Not Applicable because the product is not a non-web document.

Chapter [11: Software](#)

Criteria	Conformance Level	Remarks and Explanations
11.0 General (informative)	Heading cell – no response required	Heading cell – no response required
11.1.1.1 through 11.4.1.3	See WCAG 2.x section	See information in WCAG 2.x section
11.5 Interoperability with assistive technology	Heading cell – no response required	Heading cell – no response required
11.5.1 Closed functionality	Heading cell – no response required	Heading cell – no response required
11.5.2 Accessibility services	Heading cell – no response required	Heading cell – no response required
11.5.2.1 Platform accessibility service support for software that provides a user interface	See 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.3 Use of accessibility services	See information in 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.4 Assistive technology	Not Applicable	DevExpress VCL Controls are not an assistive technology.
11.5.2.5 Object information	Partially Supports	<p>Role, state(s), properties, boundary, name, and description of components can be programmatically determined by assistive technology.</p> <p>For exceptions, refer to the following criterion in the WCAG 2.2 Report: 4.1.2 Name, Role, Value</p>

Criteria	Conformance Level	Remarks and Explanations
11.5.2.6 Row, column, and headers	Partially Supports	<p>Role, state(s), properties, boundary, name, and description of components can be programmatically determined by assistive technology.</p> <p>For exceptions, refer to the following criterion in the WCAG 2.2 Report: 4.1.2 Name, Role, Value</p>
11.5.2.7 Values	Partially Supports	<p>DevExpress VCL Controls contain programmatically determinable information about the current value, and any set or range of allowable values associated with an object.</p> <p>For exceptions, refer to the following criterion in the WCAG 2.2 Report: 4.1.2 Name, Role, Value</p>
11.5.2.8 Label relationships	Partially Supports	<p>A relationship that a component has as a label for another component, or as one labeled by another component, is programmatically determinable.</p> <p>For exceptions, refer to the following criterion in the WCAG 2.2 Report: 2.5.3 Label in Name</p>
11.5.2.9 Parent-child relationships	Partially Supports	<p>DevExpress VCL Controls provide programmatically determinable information about hierarchical relationships.</p> <p>For exceptions, refer to the following criterion in the WCAG 2.2 Report: 1.3.1 Info and Relationships</p>
11.5.2.10 Text	Supports	<p>DevExpress VCL Controls provide programmatically determinable information about the content of text objects, text attributes, and the boundary of text rendered to the screen.</p>

Criteria	Conformance Level	Remarks and Explanations
11.5.2.11 List of available actions	Partially Supports	<p>A list of all actions that can be executed on an object can be determined programmatically.</p> <p>For exceptions, refer to the following criterion in the WCAG 2.2 Report: 2.1.1 Keyboard, 4.1.2 Name, Role, Value</p>
11.5.2.12 Execution of available actions	Partially Supports	<p>DevExpress VCL Controls allow assistive technology to programmatically execute available actions on objects.</p> <p>For exceptions, refer to the following criterion in the WCAG 2.2 Report: 2.1.1 Keyboard, 4.1.2 Name, Role, Value</p>
11.5.2.13 Tracking of focus and selection attributes	Partially Supports	<p>DevExpress VCL Controls expose information and mechanisms necessary to track focus, text insertion point, and selection attributes of user interface components.</p> <p>For exceptions, refer to the following criteria in the WCAG 2.2 Report: 2.1.1 Keyboard 2.4.3 Focus Order 4.1.2 Name, Role, Value</p>
11.5.2.14 Modification of focus and selection attributes	Partially Supports	<p>DevExpress VCL Controls allow assistive technology to programmatically set focus, text insertion point, and selection attributes.</p>
11.5.2.15 Change notification	Partially Supports	<p>DevExpress VCL Controls partially support event notifications available to assistive technologies.</p> <p>For exceptions, refer to the following criteria in the WCAG 2.2 Report:</p>

Criteria	Conformance Level	Remarks and Explanations
		4.1.3 Status Messages 4.1.2 Name, Role, Value
11.5.2.16 Modifications of states and properties	Supports	States and properties that can be modified by a user can also be modified programmatically, including through assistive technology.
11.5.2.17 Modifications of values and text	Supports	Text that can be set by a user can also be set programmatically, including through assistive technology.
11.6 Documented accessibility usage	Heading cell – no response required	Heading cell – no response required
11.6.1 User control of accessibility features	Not Applicable	It is up to application developers to provide user control of accessibility features.
11.6.2 No disruption of accessibility features	Supports	DevExpress VCL Controls do not disrupt normal operation of platform accessibility features.
11.7 User preferences	Partially Supports	DevExpress VCL Controls inherit font settings from the user agent.
11.8 Authoring tools	Heading cell – no response required	Heading cell – no response required
11.8.1 Content technology	Heading cell – no response required	Heading cell – no response required
11.8.2 Accessible content creation	Partially Supports	Content created by users in ExpressSpreadSheet and ExpressRichEditControl can be consumed by assistive technologies. Software that displays this content must support appropriate accessibility interfaces. In certain instances, developers may need to add UI elements (toolbar/Ribbon items) to help users assign assistive information.
11.8.3 Preservation of accessibility information in transformations	Partially Supports	DevExpress VCL authoring tool components preserve accessibility information during restructuring transformations or recoding transformations.

Criteria	Conformance Level	Remarks and Explanations
11.8.4 Repair assistance	Does Not Support	DevExpress VCL authoring tools do not include functionality to help users repair accessibility information.
11.8.5 Templates	Not Applicable	DevExpress VCL authoring tool components do not provide templates.

Chapter [12: Documentation and Support Services](#)

Note: Chapter 12 criteria are Not Applicable because DevExpress does not provide documentation for application end users.

Chapter [13: ICT Providing Relay or Emergency Service Access](#)

Note: Chapter 13 criteria are Not Applicable because the product is not ICT providing relay or emergency service access.

Legal Disclaimer

This document is for informational purposes only. This document does not constitute a legal claim of compliance. DEVELOPER EXPRESS INC MAKES NO WARRANTIES, EXPRESS OR IMPLIED, IN THIS DOCUMENT.

The information contained in this document represents the current view of Developer Express Inc on accessibility-related issues as of the date of publication. Because Developer Express Inc must respond to changing market conditions, statements made within this document should not be interpreted to be a commitment on the part of Developer Express Inc. Developer Express Inc does not and cannot guarantee the accuracy of any information contained within this document on or after the date of publication.

© 1998-2025 Developer Express Inc. All rights reserved. Developer Express logo is a trademark of Developer Express in the United States and/or other countries. The names of third parties and/or third-party products mentioned herein may be the trademarks of their respective owners. Developer Express Inc updates its website and provides new information about the accessibility of products as that information becomes available.