

DevExpress Accessibility Conformance Report International Edition

(Based on VPAT® Version 2.5)

Name of Product/Version: DevExpress WinForms Controls v25.1

Report Date: June 2025

Contact Information: clientservices@devexpress.com.

Scope: DevExpress WinForms UI components, with the exceptions outlined below.

Assistive technologies, such as narrators, request accessible information via UI Automation. The following DevExpress WinForms controls do not convey accessible information in their embedded documents, graphic canvases, or designer surfaces: Map Control, End-User Report Designer, Sunburst Control, and Heat Map Control. This limitation does not apply to any shell UI integrated using the following controls: Ribbon, Toolbars, or Tool Windows.

Evaluation Methods Used: Conformance to listed accessibility standards has been evaluated by DevExpress using a combination of static analysis tools (Accessibility Insights, Inspect) and manual testing with assistive technologies (Narrator).

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A (Yes) Level AA (Yes) Level AAA (No)
Web Content Accessibility Guidelines 2.1	Level A (Yes) Level AA (Yes) Level AAA (No)
Web Content Accessibility Guidelines 2.2	Level A (Yes) Level AA (Yes) Level AAA (No)
Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018	(Yes)
EN 301 549 Accessibility requirements for ICT products and services - V3.1.1 (2019-11) AND EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 (2021-03)	(Yes)

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some product-related functionality does not meet the criterion.
- **Does Not Support:** The majority of product-related functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

WCAG 2.2 Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 - Web, Sections 10.1-10.4 of Chapter 10 - Non-Web documents, and Sections 11.1-11.4 and 11.8.2 of Chapter 11 - Non-Web Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 – Documentation
- Revised Section 508: Chapter 5 – 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 – 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.2 Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.0 Conformance Requirements](#).

Table 1: Success Criteria, Level A

Criteria	Conformance Level	Remarks and Explanations
<p><u>1.1.1 Non-text Content</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.1.1 (Web) 10.1.1.1 (Non-web document) 11.1.1.1.1 (Open Functionality Software) 11.1.1.1.2 (Closed Functionality Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	A developer can specify accessible names for controls that display non-text content. Assistive technologies can use such names to identify controls and associated content.
<p><u>1.2.1 Audio-only and Video-only (Prerecorded)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.2.1 (Web) 10.1.2.1 (Non-web document) 11.1.2.1.1 (Open Functionality Software) 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Not Applicable	DevExpress WinForms Controls do not include prerecorded audio-only or video-only content.

Criteria	Conformance Level	Remarks and Explanations
<p>1.2.2 Captions (Prerecorded) (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.2.2 (Web) 10.1.2.2 (Non-web document) 11.1.2.2 (Open Functionality Software) 11.1.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Not Applicable	DevExpress WinForms Controls do not include prerecorded audio or video content.
<p>1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.2.3 (Web) 10.1.2.3 (Non-web document) 11.1.2.3.1 (Open Functionality Software) 11.1.2.3.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Not Applicable	DevExpress WinForms Controls do not include prerecorded audio and video content.
<p>1.3.1 Info and Relationships (Level A)</p> <p>Also applies to:</p>	Partially Supports	Assistive technologies, such as screen readers, do not

Criteria	Conformance Level	Remarks and Explanations
<p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.1 (Web) • 10.1.3.1 (Non-web document) • 11.1.3.1.1 (Open Functionality Software) • 11.1.3.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		<p>notify customers on the structure and relationships of visual elements for the following controls:</p> <ul style="list-style-type: none"> • GridControl: <ul style="list-style-type: none"> ○ In Master-Detail mode, a detail tab does not provide accessible information about other tabs. ○ Exported documents do not preserve information about table structure. ○ Kanban View does not provide accessible information about labels in the focused column. • LayoutControl: does not provide accessible information about group structure. • GridControl, Vertical Grid: do not provide accessible information about focused column and row when a cell editor is active. • Print/Export Windows: do not provide accessible information about table structure.
<p>1.3.2 Meaningful Sequence (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.2 (Web) • 10.1.3.2 (Non-web document) • 11.1.3.2.1 (Open Functionality Software) • 11.1.3.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) 	<p>Partially Supports</p>	<p>Component content is presented in a meaningful sequence.</p> <p>Exception: elements in GridControl Layout View cards (when Scan Mode is activated in the screen reader).</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 504.2 (Authoring Tool) 602.3 (Support Docs) 		
<p><u>1.3.3 Sensory Characteristics</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.3.3 (Web) 10.1.3.3 (Non-web document) 11.1.3.3 (Open Functionality Software) 11.1.3.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	DevExpress WinForms Controls include APIs that allow you to customize color, shape, and visual location. Controls do not rely solely on sensory characteristics to convey information.
<p><u>1.4.1 Use of Color</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.4.1 (Web) 10.1.4.1 (Non-web document) 11.1.4.1 (Open Functionality Software) 11.1.4.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	Most controls do not use color coding as the only means of conveying information.

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.2 Audio Control (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.4.2 (Web) 10.1.4.2 (Non-web document) 11.1.4.2 (Open Functionality Software) 11.1.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Not Applicable	DevExpress WinForms Controls do not contain audio content.
<p>2.1.1 Keyboard (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.1.1 (Web) 10.2.1.1 (Non-web document) 11.2.1.1.1 (Open Functionality Software) 11.2.1.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Partially Supports	<p>Control functionality is generally accessible through a keyboard interface.</p> <p>Specific operations, such as drag-and-drop, can be executed from a keyboard only when an end user enables the Mouse Keys feature in Microsoft Windows. Alternatively, application developers can control these operations through APIs. Developers can introduce keyboard shortcuts or auxiliary controls that enable end users to access all product functionality using a keyboard.</p> <p>The following keyboard operations are unavailable:</p> <ul style="list-style-type: none"> AccordionControl: Navigate to the menu button and footer buttons.

Criteria	Conformance Level	Remarks and Explanations
		<ul style="list-style-type: none"> • DiagramControl: Add diagram elements. As a workaround, you can create an element on a key press event. • Data Editors: <ul style="list-style-type: none"> ○ CalcEdit: Focus buttons within the dropdown window. ○ HyperLinkEdit: Activate the focused hyperlink. As a workaround, you can call the HyperLinkEdit.ShowBrowser method on the KeyDown event. ○ RatingControl: Change the control value. ○ PictureEdit: Open the context menu. • GridControl: <ul style="list-style-type: none"> ○ Focus column headers. As a workaround you can use GridControl's APIs and a key press event. ○ Navigate through Data Navigator elements. ○ Add a node in the Filter Editor. ○ Expand/collapse a group row in WinExplorer View. ○ Navigate to the second portion of the view in Split Presentation mode. ○ TileView - Focus the <i>Add New Item</i> button. ○ TileView - Scroll the view when you focus an item outside of the visible area on the right side. • LayoutControl: <ul style="list-style-type: none"> ○ Customize the layout in customization mode. ○ Scroll content. ○ Focus header buttons. • NavigationPane: <ul style="list-style-type: none"> ○ Navigate through items.

Criteria	Conformance Level	Remarks and Explanations
		<ul style="list-style-type: none"> ○ Focus a group's expand/collapse button in the NavBarGroupContainer. • PropertyGridControl: <ul style="list-style-type: none"> ○ Switch between tabs. As a workaround, you can handle the <i>Ctrl+Tab</i> key combination press and specify the PropertyGridControl.SelectedTab property. ○ Focus menu buttons. ○ Focus an individual editor in a row with multiple editors. • SchedulerControl: <ul style="list-style-type: none"> ○ Focus Pattern Settings panel within the Recurrent Appointment menu. ○ Switch between tabs when the Tab resource display style is used. ○ Focus the <i>+N</i> button that is displayed when appointments don't fit the day cell. • TileNavPane: Focus an item within a dropdown. • CalendarControl: Change the calendar view. • ToolboxControl: Navigate through items. <p>The following controls do not support keyboard navigation:</p> <ul style="list-style-type: none"> • TileControl • SVGImageBox • OfficeNavigationBar
<p>2.1.2 No Keyboard Trap (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1.2 (Web) 	Supports	<p>Users need to press <i>Ctrl+Tab</i> or <i>Ctrl+Shift+Tab</i> to move focus away from the GridControl.</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 10.2.1.2 (Non-web document) 11.2.1.2 (Open Functionality Software) 11.2.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		
<p>2.1.4 Character Key Shortcuts (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.1.4 (Web) 10.2.1.4 (Non-web document) 11.2.1.4.1 (Open Functionality Software) 11.2.1.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	DevExpress WinForms Controls do not contain built-in single-symbol shortcuts. Where acceptable, developers can configure their own shortcuts that match this criterion.
<p>2.2.1 Timing Adjustable (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.2.1 (Web) 10.2.2.1 (Non-web document) 11.2.2.1 (Open Functionality Software) 11.2.2.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 	Not Applicable	DevExpress WinForms Controls do not include any time-controlled content.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		
2.2.2 Pause, Stop, Hide (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.2.2.2 (Web) 10.2.2.2 (Non-web document) 11.2.2.2 (Open Functionality Software) 11.2.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	DevExpress WinForms Controls do not include elements that move, blink, scroll, or auto-update.
2.3.1 Three Flashes or Below Threshold (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.2.3.1 (Web) 10.2.3.1 (Non-web document) 11.2.3.1 (Open Functionality Software) 11.2.3.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508	Supports	DevExpress WinForms Controls do not include any flashing content.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p>2.4.1 Bypass Blocks (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.1 (Web) • 10.2.4.1 (Non-web document) – Does not apply • 11.2.4.1 (Open Functionality Software) – Does not apply • 11.2.4.1 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 	Not Applicable	DevExpress WinForms Controls do not contain web pages.
<p>2.4.2 Page Titled (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.2 (Web) • 10.2.4.2 (Non-web document) • 11.2.4.2 (Open Functionality Software) - Does not apply • 11.2.4.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) 	Not Applicable	DevExpress WinForms Controls do not contain web pages.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 602.3 (Support Docs) 		
<p>2.4.3 Focus Order (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.4.3 (Web) 10.2.4.3 (Non-web document) 11.2.4.3 (Open Functionality Software) 11.2.4.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Partially Supports	<p>A user can navigate through DevExpress WinForms Controls sequentially and navigation sequence follows the visual order. See exceptions below.</p> <ul style="list-style-type: none"> DiagramControl: item focus order depends on item order within the control's internal list and doesn't follow the visual layout. SchedulerControl: wrong editor focus order in the Appointment Editing form.
<p>2.4.4 Link Purpose (In Context) (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.4.4 (Web) 10.2.4.4 (Non-web document) 11.2.4.4 (Open Functionality Software) 11.2.4.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	<p>The purpose of links displayed in DevExpress WinForms Controls can be determined from the link text alone or from the programmatic context of the link.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.5.1 Pointer Gestures (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.5.1 (Web) 10.2.5.1 (Non-web document) 11.2.5.1 (Open Functionality Software) 11.2.5.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	DevExpress controls only require simple gestures.
<p>2.5.2 Pointer Cancellation (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.5.2 (Web) 10.2.5.2 (Non-web document) 11.2.5.2 (Open Functionality Software) 11.2.5.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	DevExpress WinForms Controls do not execute any essential activity that cannot be aborted or undone using the up-event.
<p>2.5.3 Label in Name (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.5.3 (Web) 10.2.5.3 (Non-web document) 11.2.5.3.1 (Open Functionality Software) 11.2.5.3.2 (Closed Software) 11.8.2 (Authoring Tool) 	Supports	Component elements derive associated accessible names from visually presented text.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply		
<p>2.5.4 Motion Actuation (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.5.4 (Web) 10.2.5.4 (Non-web document) 11.2.5.4 (Open Functionality Software) 11.2.5.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Not Applicable	DevExpress WinForms Controls do not contain functionality that can be operated by device motion or user motion.
<p>3.1.1 Language of Page (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.3.1.1 (Web) 10.3.1.1 (Non-web document) 11.3.1.1.1 (Open Functionality Software) 11.3.1.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Support	DevExpress WinForms Controls conform to .NET platform standards. Refer to the following property for more information: FrameworkElement.Language .
<p>3.2.1 On Focus (Level A)</p> <p>Also applies to:</p>	Supports	When a component receives focus, it does not initiate a change of context.

Criteria	Conformance Level	Remarks and Explanations
<p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.1 (Web) • 10.3.2.1 (Non-web document) • 11.3.2.1 (Open Functionality Software) • 11.3.2.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p>3.2.2 On Input (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.2 (Web) • 10.3.2.2 (Non-web document) • 11.3.2.2 (Open Functionality Software) • 11.3.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	Changing the setting of a component does not automatically cause a change of context.
<p>3.2.6 Consistent Help (Level A 2.2 only)</p>	Not Applicable	DevExpress WinForms Controls do not include incorporated help mechanisms.

Criteria	Conformance Level	Remarks and Explanations
<p>3.3.1 Error Identification (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.3.3.1 (Web) 10.3.3.1 (Non-web document) 11.3.3.1.1 (Open Functionality Software) 11.3.3.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	Assistive tools are automatically notified when validation errors occur in DevExpress WinForms Data Editors . Users can display error text by hovering an error icon.
<p>3.3.2 Labels or Instructions (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.3.3.2 (Web) 10.3.3.2 (Non-web document) 11.3.3.2 (Open Functionality Software) 11.3.3.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	Input elements inside DevExpress WinForms Controls include associated labels or instructions.
<p>3.3.7 Redundant Entry (Level A 2.2 only)</p>	Supports	Built-in DevExpress multiple-page dialogs do not require users to enter previously entered information.

Criteria	Conformance Level	Remarks and Explanations
<p><u>4.1.1 Parsing</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.4.1.1 (Web) 10.4.1.1 (Non-web document) 11.4.1.1.1 (Open Functionality Software) 11.4.1.1.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Not Applicable	<p>For WCAG 2.0, 2.1, EN 301 549, and Revised 508 Standards, the September 2023 errata update indicates this criterion is always supported. See WCAG 2.0 Editorial Errata and WCAG 2.1 Editorial Errata. In WCAG 2.2, this criterion is obsolete.</p>
<p><u>4.1.2 Name, Role, Value</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.4.1.2 (Web) 10.4.1.2 (Non-web document) 11.4.1.2.1 (Open Functionality Software) 11.4.1.2.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Partially Supports	<p>Name, role, and value of controls are detectable and modifiable by assistive technology. The list below contains controls and accessible information that is not provided:</p> <ul style="list-style-type: none"> AccordionControl: Item nesting level. RadioGroup: Changes to control value. ExpressionEditor: Expression suggestions. GridControl: <ul style="list-style-type: none"> Group row expanded/collapsed state changes. Grid values that are changed via APIs. XtraMessageBox: Dialog text. TextEdit: The current character (on navigation/selection/deletion). LookUpEdit: Item content (on navigation if UseUIAutomation is active).

Criteria	Conformance Level	Remarks and Explanations
		<ul style="list-style-type: none"> • CheckedComboBoxEdit, CheckedListBox, LookUpEdit with multiple selection: Item caption and checked state when Space is pressed. • NavBarControl with PaintStyleKind = NavigationPane: A collapsed group's caption (if UseUIAutomation is active). <p>The following controls do not provide accessible information:</p> <ul style="list-style-type: none"> • TreeMapControl • SunburstControl • HeatmapControl <p>SankeyDiagram</p>

Table 2: Success Criteria, Level AA

Criteria	Conformance Level	Remarks and Explanations
<p>1.2.4 Captions (Live) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.4 (Web) • 10.1.2.4 (Non-web document) • 11.1.2.4 (Open Functionality Software) • 11.1.2.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) 	Not Applicable	DevExpress WinForms Controls do not contain live audio content.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 602.3 (Support Docs) 		
<p>1.2.5 Audio Description (Prerecorded) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.2.5 (Web) 10.1.2.5 (Non-web document) 11.1.2.5 (Open Functionality Software) 11.1.2.5 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Not Applicable	DevExpress WinForms Controls do not contain prerecorded video content.
<p>1.3.4 Orientation (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.3.4 (Web) 10.1.3.4 (Non-web document) 11.1.3.4 (Open Functionality Software) 11.1.3.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Not Applicable	DevExpress WinForms Controls do not restrict view and operation to a single display orientation.
<p>1.3.5 Identify Input Purpose (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p>	Not applicable	DevExpress WinForms Controls do not include built-in forms referenced by this criterion.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 9.1.3.5 (Web) 10.1.3.5 (Non-web document) 11.1.3.5.1 (Open Functionality Software) 11.1.3.5.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>		
<p><u>1.4.3 Contrast (Minimum)</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.4.3 (Web) 10.1.4.3 (Non-web document) 11.1.4.3 (Open Functionality Software) 11.1.4.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	<p>DevExpress WinForms Controls ship with high-contrast skins/app themes. App vendors/developers can use the DevExpress Skin Editor to create custom high-contrast skins as requirements dictate.</p>
<p><u>1.4.4 Resize text</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.4.4 (Web) 10.1.4.4 (Non-web document) 11.1.4.4.1 (Open Functionality Software) 11.1.4.4.2 (Closed Software) 11.8.2 (Authoring Tool) 	Supports	<p>Text can be resized without assistive technology up to 200 percent without loss of content or functionality.</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		
<p>1.4.5 Images of Text (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.4.5 (Web) 10.1.4.5 (Non-web document) 11.1.4.5.1 (Open Functionality Software) 11.1.4.5.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	DevExpress WinForms Controls do not contain images of text.
<p>1.4.10 Reflow (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.4.10 (Web) 10.1.4.10 (Non-web document) 11.1.4.10 (Open Functionality Software) 11.1.4.10 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) 	Supports	Depends on application implementation.

Criteria	Conformance Level	Remarks and Explanations
Revised Section 508 – Does not apply		
<p>1.4.11 Non-text Contrast (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.4.11 (Web) 10.1.4.11 (Non-web document) 11.1.4.11 (Open Functionality Software) 11.1.4.11 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	A developer can specify accessible names for controls that display non-text content. Assistive technologies can use such names to identify controls and associated content.
<p>1.4.12 Text Spacing (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.4.12 (Web) 10.1.4.12 (Non-web document) 11.1.4.12 (Open Functionality Software) 11.1.4.12 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	The spacing between letters, words, lines of text and/or paragraphs can be adjusted without loss of content or functionality for all controls.
<p>1.4.13 Content on Hover or Focus (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.4.13 (Web) 10.1.4.13 (Non-web document) 11.1.4.13 (Open Functionality Software) 	Partially Supports	<p>DevExpress WinForms Controls provide mechanisms to manage the position and lifetime of a tooltip.</p> <p>Exception:</p> <ul style="list-style-type: none"> A user cannot hover tooltips.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 11.1.4.13 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply		
<p>2.4.5 Multiple Ways (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.4.5 (Web) 10.2.4.5 (Non-web document) – Does not apply 11.2.4.5 (Open Functionality Software) – Does not apply 11.2.4.5 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs 	Not Applicable	DevExpress WinForms Controls do not contain web pages.
<p>2.4.6 Headings and Labels (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.4.6 (Web) 10.2.4.6 (Non-web document) 11.2.4.6 (Open Functionality Software) 11.2.4.6 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p>	Supports	DevExpress WinForms Controls allow application developers to customize the content and style of headings and labels within UI controls.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p>2.4.7 Focus Visible (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.7 (Web) • 10.2.4.7 (Non-web document) • 11.2.4.7 (Open Functionality Software) • 11.2.4.7 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	Keyboard operable components clearly display the focus indicator.
<p>2.4.11 Focus Not Obscured (Minimum) (Level AA 2.2 only)</p>	Supports	DevExpress WinForms components don't obscure focus in the default configuration. However, end users may position floating dock panels so that they hover the focused element.
<p>2.5.7 Dragging Movements (Level AA 2.2 only)</p>	Partially Supports	<p>DevExpress WinForms components meet the specified criterion with the following exceptions:</p> <ul style="list-style-type: none"> • GridControl: <ul style="list-style-type: none"> ○ Column resizing ○ Column reordering ○ Row drag & drop (when enabled)

Criteria	Conformance Level	Remarks and Explanations
		<ul style="list-style-type: none"> • DiagramControl: <ul style="list-style-type: none"> ○ Adding new items ○ Dragging items to a different position
2.5.8 Target Size (Minimum) (Level AA 2.2 only)	Partially Supports	<p>The following DevExpress WinForms components may contain smaller pointer input areas (smaller than 24x24 pixels) depending on the applied skin/app theme:</p> <ul style="list-style-type: none"> • SpinEdit: spin buttons. • GridControl: column resize splitters and filter buttons. • Windows: resize grips. • DiagramControl: item resize grips. <p>Use Touch Skins to increase pointer input areas for all DevExpress components.</p>
3.1.2 Language of Parts (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.3.1.2 (Web) • 10.3.1.2 (Non-web document) • 11.3.1.2 (Open Functionality Software) – Does not apply • 11.3.1.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) 	Support	<p>DevExpress WinForms Controls conform to .NET platform standards. Refer to the following property for additional information: FrameworkElement.Language.</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 602.3 (Support Docs) 		
<p><u>3.2.3 Consistent Navigation</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.3.2.3 (Web) 10.3.2.3 (Non-web document) – Does not apply 11.3.2.3 (Open Functionality Software) – Does not apply 11.3.2.3 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs 	Not Applicable	DevExpress WinForms Controls do not contain web pages.
<p><u>3.2.4 Consistent Identification</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.3.2.4 (Web) 10.3.2.4 (Non-web document) – Does not apply 11.3.2.4 (Open Functionality Software) – Does not apply 11.3.2.4 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs 	Not Applicable	DevExpress WinForms Controls do not contain web pages.

Criteria	Conformance Level	Remarks and Explanations
<p>3.3.3 Error Suggestion (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.3.3.3 (Web) 10.3.3.3 (Non-web document) 11.3.3.3 (Open Functionality Software) 11.3.3.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	DevExpress WinForms Controls allow application developers to customize error descriptions.
<p>3.3.4 Error Prevention (Legal, Financial, Data) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.3.3.4 (Web) 10.3.3.4 (Non-web document) 11.3.3.4 (Open Functionality Software) 11.3.3.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	DevExpress WinForms Controls provide mechanisms to validate user-entered data.
<p>3.3.8 Accessible Authentication (Minimum) (Level AA 2.2 only)</p>	Not Applicable	DevExpress WinForms Controls do not include built-in authentication mechanisms.

Criteria	Conformance Level	Remarks and Explanations
4.1.3 Status Messages (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.4.1.3 (Web) 10.4.1.3 (Non-web document) 11.4.1.3 (Open Functionality Software) 11.4.1.3 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply	Supports	DevExpress WinForms Controls notify users of important changes in content.

Table 3: Success Criteria, Level AAA

Notes: Table 3 has been removed because DevExpress WinForms Controls have not been tested for conformance to WCAG Level AAA criteria.

Revised Section 508 Report

Chapter 3: [Functional Performance Criteria \(FPC\)](#)

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Partially Supports	Most features in DevExpress WinForms Controls can be reached with the keyboard alone and announced by assistive technologies. Refer to WCAG 2.2 Report for exceptions.
302.2 With Limited Vision	Partially Supports	DevExpress WinForms Controls support platform scaling functions and include high contrast skins. Refer to the following criteria in WCAG 2.2 Report for additional information: 1.3.3 Sensory Characteristics 1.4.3 Contrast (Minimum) 1.4.10 Reflow 1.4.11 Non-text Contrast 1.4.12 Text Spacing 1.4.13 Content on Hover or Focus
302.3 Without Perception of Color	Partially Supports	Information conveyed by color is also available in text. Additionally, you can modify contrast.
302.4 Without Hearing	Not Applicable	DevExpress WinForms Controls do not include audio content.
302.5 With Limited Hearing	Not Applicable	DevExpress WinForms Controls do not include audio content.
302.6 Without Speech	Not Applicable	DevExpress WinForms Controls do not require speech to operate or retrieve information.
302.7 With Limited Manipulation	Partially Supports	Most DevExpress WinForms Controls are operable with a keyboard and can be used without a pointing device. Refer to the following

Criteria	Conformance Level	Remarks and Explanations
		<p>criteria in WCAG 2.2 Report for additional information:</p> <ul style="list-style-type: none"> 2.1.1 Keyboard 2.1.2 No Keyboard Trap 2.1.4 Character Key Shortcuts 2.4.7 Focus Visible <p>Most DevExpress WinForms Controls provide automation interfaces that can be used by assistive technologies to interact with a UI element. See the following criterion in WCAG 2.2 Report:</p> <p>4.1.2 Name, Role, Value</p> <p>DevExpress WinForms Controls do not use multi-point or path-based gestures and support standard input tools such as keyboards and pointing devices. They do not require fine motor control or simultaneous manual operations. Other mouse pointer interaction is implemented according to WCAG 2.2 requirements. See the following criteria:</p> <ul style="list-style-type: none"> 2.5.1 Pointer Gestures 2.5.2 Pointer Cancellation <p>DevExpress WinForms Controls don't rely on motion actions. Review the following criterion:</p> <p>2.5.4 Motion Actuation</p>
302.8 With Limited Reach and Strength	Not Applicable	<p>Developers can implement interfaces for users with limited reach and strength:</p> <ul style="list-style-type: none"> - Most DevExpress controls are operable with standard keyboard devices.

Criteria	Conformance Level	Remarks and Explanations
		<ul style="list-style-type: none"> - Sequential focus order allows users to utilize alternative focus-based input devices, such as switches. - UI Automation patterns supported in most DevExpress controls allow assistive technologies to interact with UI components via voice-based commands. <p>For additional information refer to the following criteria:</p> <ul style="list-style-type: none"> - Section 508 – 302.7 With Limited Manipulation - WCAG 2.2 – 4.1.2 Name, Role, Value
302.9 With Limited Language, Cognitive, and Learning Abilities	Not Applicable	<p>Users with limited language, cognitive, and learning abilities can use text-to-speech assistive tools that rely on information provided by DevExpress components via UI Automation. See the following sections in WCAG 2.2 Report for additional information:</p> <p>4.2.10 Non-text Content 2.5.3 Label in Name 4.1.2 Name, Role, Value</p> <p>DevExpress controls don't change context on focus or input reducing the chance of unexpected context change. See the following sections in WCAG 2.2 Report for additional information:</p> <p>3.2.1 On Focus 3.2.2 On Input</p> <p>DevExpress controls display validation errors and provide validation-related information to assistive tools. Controls contain functionality developers can leverage to implement suggestions when errors</p>

Criteria	Conformance Level	Remarks and Explanations
		<p>occur. See the following sections in WCAG 2.2 Report for additional information:</p> <p>3.3.1 Error Identification</p> <p>3.3.3 Error Suggestion</p>

Chapter 4: [Hardware](#)

Notes: These criteria are Not Applicable because the product is not Hardware.

Chapter 5: [Software](#)

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope – Incorporation of WCAG 2.0 AA	See WCAG 2.2 section	See information in WCAG 2.2 section
502 Interoperability with Assistive Technology	Heading cell – no response required	Heading cell – no response required
502.2.1 User Control of Accessibility Features	Not Applicable	It is up to application developers to provide user control of accessibility features.
502.2.2 No Disruption of Accessibility Features	Supports	DevExpress WinForms Controls do not disrupt normal operation of platform accessibility features.
502.3 Accessibility Services	Heading cell – no response required	Heading cell – no response required
502.3.1 Object Information	Partially Supports	<p>Role, state(s), properties, boundary, name, and description of components can be programmatically determined by assistive technologies.</p> <p>For exceptions, refer to the following criterion in WCAG 2.2 Report: 4.1.2 Name, Role, Value</p>

Criteria	Conformance Level	Remarks and Explanations
502.3.2 Modification of Object Information	Partially Supports	<p>States and properties of components can be set programmatically, including through assistive technologies.</p> <p>For exceptions, refer to the following criterion in WCAG 2.2 Report: 4.1.2 Name, Role, Value</p>
502.3.3 Row, Column, and Headers	Partially Supports	<p>DevExpress table-based Controls provide information about a cell's row and column with the exceptions listed in the following WCAG 2.2 criterion:</p> <p>1.3.1 Info and Relationships</p>
502.3.4 Values	Partially Supports	<p>DevExpress WinForms Controls contain programmatically determinable information about the current value, and any set or range of allowable values associated with an object.</p> <p>For exceptions, refer to the following criterion in WCAG 2.2 Report: 4.1.2 Name, Role, Value</p>
502.3.5 Modification of Values	Partially Supports	<p>Element values can be set programmatically, including through assistive technologies.</p> <p>For exceptions, refer to the following criterion in WCAG 2.2 Report: 4.1.2 Name, Role, Value</p>
502.3.6 Label Relationships	Partially Supports	<p>A relationship that a component has as a label for another component, or of being labeled by another component, is programmatically determinable.</p> <p>For exceptions, refer to the following criterion in WCAG 2.2 Report: 2.5.3 Label in Name</p>
502.3.7 Hierarchical Relationships	Partially Supports	<p>DevExpress WinForms Controls provide programmatically determinable information about hierarchical relationships.</p>

Criteria	Conformance Level	Remarks and Explanations
		For exceptions, refer to the following criterion in WCAG 2.2 Report: 1.3.1 Info and Relationships
502.3.8 Text	Supports	DevExpress WinForms Controls provide programmatically determinable information about the content of text objects, text attributes, and the boundary of text rendered to screen.
502.3.9 Modification of Text	Supports	Text that can be set by a user, can be set programmatically, including through assistive technologies.
502.3.10 List of Actions	Partially Supports	<p>A list of all actions that can be executed on an object can be determined programmatically.</p> <p>For exceptions, refer to the following criterion in WCAG 2.2 Report: 2.1.1 Keyboard, 4.1.2 Name, Role, Value</p>
502.3.11 Actions on Objects	Partially Supports	<p>DevExpress WinForms Controls allow assistive technologies to programmatically execute available actions on objects.</p> <p>For exceptions, refer to the following criterion in WCAG 2.2 Report: 2.1.1 Keyboard, 4.1.2 Name, Role, Value</p>
502.3.12 Focus Cursor	Partially Supports	<p>DevExpress WinForms Controls expose information and mechanisms necessary to track focus, text insertion point, and selection attributes of user interface components.</p> <p>For exceptions, refer to the following criteria in WCAG 2.2 Report: 2.1.1 Keyboard, 2.4.3 Focus Order, 4.1.2 Name, Role, Value</p>
502.3.13 Modification of Focus Cursor	Partially Supports	DevExpress WinForms Controls allow assistive technologies to programmatically set focus, text insertion point, and selection attributes.

Criteria	Conformance Level	Remarks and Explanations
502.3.14 Event Notification	Partially Supports	DevExpress WinForms Controls partially support event notifications available to assistive technologies. For exceptions, refer to the following criteria in WCAG 2.2 Report: 4.1.3 Status Messages 4.1.2 Name, Role, Value
502.4 Platform Accessibility Features	Not Applicable	DevExpress WinForms Controls do not disrupt standard platform and operating system accessibility features.
503 Applications	Heading cell – no response required	Heading cell – no response required
503.2 User Preferences	Partially Supports	DevExpress WinForms Controls can obtain and apply font size and colors from operating system settings (including the high contrast theme). To obtain font scale settings, you can handle Windows system events.
503.3 Alternative User Interfaces	Not Applicable	DevExpress WinForms Controls don't include an alternative user interface that functions as an assistive technology.
503.4 User Controls for Captions and Audio Description	Heading cell – no response required	Heading cell – no response required
503.4.1 Caption Controls	Not Applicable	DevExpress WinForms Controls don't play audio or video.
503.4.2 Audio Description Controls	Not Applicable	DevExpress WinForms Controls don't play audio or video.
504 Authoring Tools	Heading cell – no response required	Heading cell – no response required
504.2 Content Creation or Editing	Partially Supports	Content created by users in RichEditControl and SpreadsheetControl can be consumed by assistive technologies. Software that displays this content must support appropriate accessibility interfaces. In certain instances, you may need to add UI elements (toolbar/Ribbon items) to help users assign assistive information.

Criteria	Conformance Level	Remarks and Explanations
		<p>Examples:</p> <ul style="list-style-type: none"> - To specify ALT text for graphic objects in the RichEditControl, add an action that programmatically sets the Shape.AltText property. - To specify ALT text for charts in the SpreadsheetControl, add an action that programmatically sets the Chart.Name property.
504.2.1 Preservation of Information Provided for Accessibility in Format Conversion	Partially Supports	GridControl , which can be used as a component of an authoring tool, does not preserve information about image ALT text when exported to XLS or XLSX.
504.2.2 PDF Export	Partially Supports	<p>DevExpress WinForms controls that provide authoring capabilities (such as SpreadsheetControl & RichEditControl) export data to PDF according to the PDF/A and PDF/UA standards.</p> <p>DevExpress WinForms GridControl can be used as a component of an authoring tool. It does not preserve the following information during PDF export:</p> <ul style="list-style-type: none"> • Information about table structure • Image ALT text • Document title
504.3 Prompts	Does Not Support	DevExpress WinForms authoring tool components do not prompt authors to create accessible content.
504.4 Templates	Not Applicable	DevExpress WinForms authoring tool components do not provide templates.

Chapter 6: Support Documentation and Services

Notes: This document describes accessibility of DevExpress WinForms Controls available for end users. Criteria in this section are Not Applicable, because DevExpress does not provide documentation or support services for end users.

EN 301 549 Report

Chapter [4: Functional Performance Statements \(FPS\)](#)

Criteria	Conformance Level	Remarks and Explanations
4.2.1 Usage without vision	Partially Supports	<p>Most features in DevExpress WinForms Controls can be reached with the keyboard alone and announced by assistive technologies.</p> <p>Refer to the WCAG 2.2 section for exceptions.</p>
4.2.2 Usage with limited vision	Supports	<p>DevExpress WinForms Controls support platform scaling functions and include high contrast skins/application themes.</p> <p>Refer to the following criteria in WCAG 2.2 Report for more information:</p> <ul style="list-style-type: none"> - 1.3.3 Sensory Characteristics - 1.4.3 Contrast (Minimum) - 1.4.10 Reflow - 1.4.11 Non-text Contrast - 1.4.12 Text Spacing - 1.4.13 Content on Hover or Focus
4.2.3 Usage without perception of colour	Supports	Information conveyed by color is also available in text. Additionally, you can modify contrast.
4.2.4 Usage without hearing	Not Applicable	DevExpress WinForms Controls do not include audio content.
4.2.5 Usage with limited hearing	Not Applicable	DevExpress WinForms Controls do not include audio content.
4.2.6 Usage with no or limited vocal capability	Not Applicable	DevExpress WinForms Controls do not require speech to operate or retrieve information.
4.2.7 Usage with limited manipulation or strength	Not Applicable	DevExpress WinForms Controls support standard input tools such as keyboards and pointing devices. Controls do not require fine motor control or simultaneous manual operations and do not have special requirements in strength.

Criteria	Conformance Level	Remarks and Explanations
		Refer to the WCAG 2.2 section for exceptions.
4.2.8 Usage with limited reach	Partially Supports	<p>Application developers can implement interfaces for users with limited reach and strength:</p> <ul style="list-style-type: none"> - Most DevExpress components are operable with standard keyboard devices. - Sequential focus order allows users to utilize alternative focus-based input devices, such as switches. - UI Automation patterns supported in most DevExpress Controls allow assistive technologies to interact with UI components via voice-based commands. <p>For additional information refer to the following criteria:</p> <ul style="list-style-type: none"> - Section 508 – 302.7 With Limited Manipulation - WCAG 2.2 – 4.1.2 Name, Role, Value
4.2.9 Minimize photosensitive seizure triggers	Not Applicable	DevExpress WinForms Controls do not include flashing content.
4.2.10 Usage with limited cognition, language or learning	Supports	<p>Users with limited language, cognitive, and learning abilities can use text-to-speech assistive tools that rely on information provided by DevExpress Controls via UI Automation. See the following criteria in WCAG 2.2 Report for additional information:</p> <p>1.1.1 Non-text Content 2.5.3 Label in Name 4.1.2 Name, Role, Value</p> <p>DevExpress controls do not change the context on focus or input and thus reduce the chance of unexpected context change. See the following criteria in WCAG 2.2 Report for additional information:</p>

Criteria	Conformance Level	Remarks and Explanations
		3.2.1 On Focus 3.2.2 On Input DevExpress controls display validation errors and provide error information to assistive tools. Controls contain functionality developers can leverage to implement suggestions when errors occur. See the following criteria in WCAG 2.2 Report for additional information: 3.3.1 Error Identification 3.3.3 Error Suggestion
4.2.11 Privacy	Not Applicable	DevExpress WinForms Controls do not provide any privacy features.

Chapter [5: Generic Requirements](#)

Notes: Subsections 5.1 and 5.5 are removed, because these criteria are applicable only to closed functionality systems and operable parts of information systems.

Criteria	Conformance Level	Remarks and Explanations
5.2 Activation of accessibility features	Not Applicable	DevExpress does not provide documentation on accessibility features for end users.
5.3 Biometrics	Not Applicable	DevExpress WinForms Controls do not use biological characteristics for user identification or for control of ICT.
5.4 Preservation of accessibility information during conversion	Partially Supports	DevExpress WinForms Controls may not preserve all available accessible information when you save data to PDF, DOCX, HTML, and other file formats.
5.6 Locking or toggle controls	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
5.6.1 Tactile or auditory status	Supports	DevExpress WinForms Controls that can be used as locking or toggle controls raise events when their states change. You can handle these events to play a sound.
5.6.2 Visual status	Supports	DevExpress WinForms Controls that can be used as locking or toggle controls, include properties that you can use to change appearance based on state.
5.7 Key repeat	Not Applicable	DevExpress WinForms Controls do not implement repeat key functionality. This option is supported by the OS.
5.8 Double-strike key acceptance	Not Applicable	DevExpress WinForms Controls do not implement double-strike key functionality. This option is supported by the OS.
5.9 Simultaneous user actions	Not Applicable	DevExpress WinForms Controls do not include functionality that requires multiple simultaneous actions.

Chapter [6: ICT with Two-Way Voice Communication](#)

Notes: Chapter 6 criteria are Not Applicable because the product is not ICT with two-way voice communication.

Chapter [7: ICT with Video Capabilities](#)

Notes: Chapter 7 criteria are Not Applicable because the product is not ICT with video capabilities.

Chapter [8: Hardware](#)

Notes: Chapter 8 criteria are Not Applicable because the product is not Hardware.

Chapter [9: Web](#) (see [WCAG 2.2 section](#))

Chapter [10: Non-Web Documents](#)

Notes: Chapter 10 criteria are Not Applicable because the product is not non-web documents.

Chapter [11: Software](#)

Criteria	Conformance Level	Remarks and Explanations
11.0 General (informative)	Heading cell – no response required	Heading cell – no response required
11.1.1.1 through 11.4.1.3	See WCAG 2.x section	See information in WCAG 2.x section
11.5 Interoperability with assistive technology	Heading cell – no response required	Heading cell – no response required
11.5.1 Closed functionality	Heading cell – no response required	Heading cell – no response required
11.5.2 Accessibility services	Heading cell – no response required	Heading cell – no response required
11.5.2.1 Platform accessibility service support for software that provides a user interface	See 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.3 Use of accessibility services	See information in 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.4 Assistive technology	Not Applicable	DevExpress WinForms Controls is not an assistive technology.
11.5.2.5 Object information	Partially Supports	<p>Role, state(s), properties, boundary, name, and description of components can be programmatically determined by assistive technology.</p> <p>For exceptions, refer to the following criterion in WCAG 2.2 Report: 4.1.2 Name, Role, Value</p>
11.5.2.6 Row, column, and headers	Partially Supports	<p>Role, state(s), properties, boundary, name, and description of components can be programmatically determined by assistive technology.</p> <p>For exceptions, refer to the following criterion in WCAG 2.2 Report: 4.1.2 Name, Role, Value</p>

Criteria	Conformance Level	Remarks and Explanations
11.5.2.7 Values	Partially Supports	<p>DevExpress WinForms Controls contain programmatically determinable information about the current value, and any set or range of allowable values associated with an object.</p> <p>For exceptions, refer to the following criterion in WCAG 2.2 Report: 4.1.2 Name, Role, Value</p>
11.5.2.8 Label relationships	Partially Supports	<p>A relationship that a component has as a label for another component, or of being labeled by another component, is programmatically determinable.</p> <p>For exceptions, refer to the following criterion in WCAG 2.2 Report: 2.5.3 Label in Name</p>
11.5.2.9 Parent-child relationships	Partially Supports	<p>DevExpress WinForms Controls provide programmatically determinable information about hierarchical relationships.</p> <p>For exceptions, refer to the following criterion in WCAG 2.2 Report: 1.3.1 Info and Relationships</p>
11.5.2.10 Text	Supports	<p>DevExpress WinForms Controls provide programmatically determinable information about the content of text objects, text attributes, and the boundary of text rendered to the screen.</p>
11.5.2.11 List of available actions	Partially Supports	<p>A list of all actions that can be executed on an object can be determined programmatically.</p> <p>For exceptions, refer to the following criterion in WCAG 2.2 Report: 2.1.1 Keyboard, 4.1.2 Name, Role, Value</p>

Criteria	Conformance Level	Remarks and Explanations
11.5.2.12 Execution of available actions	Partially Supports	<p>DevExpress WinForms Controls allow assistive technology to programmatically execute available actions on objects.</p> <p>For exceptions, refer to the following criterion in WCAG 2.2 Report: 2.1.1 Keyboard, 4.1.2 Name, Role, Value</p>
11.5.2.13 Tracking of focus and selection attributes	Partially Supports	<p>DevExpress WinForms Controls expose information and mechanisms necessary to track focus, text insertion point, and selection attributes of user interface components.</p> <p>For exceptions, refer to the following criteria in WCAG 2.2 Report: 2.1.1 Keyboard 2.4.3 Focus Order 4.1.2 Name, Role, Value</p>
11.5.2.14 Modification of focus and selection attributes	Partially Supports	<p>DevExpress WinForms Controls allow assistive technology to programmatically set focus, text insertion point, and selection attributes.</p>
11.5.2.15 Change notification	Partially Supports	<p>DevExpress WinForms Controls partially support event notifications available to assistive technologies.</p> <p>For exceptions, refer to the following criteria in WCAG 2.2 Report: 4.1.3 Status Messages 4.1.2 Name, Role, Value</p>
11.5.2.16 Modifications of states and properties	Supports	<p>Inside DevExpress WinForms Controls, states and properties that can be modified by a user, can be modified programmatically, including through assistive technology.</p>
11.5.2.17 Modifications of values and text	Supports	<p>Inside DevExpress WinForms Controls, text that can be set by a user, can be set programmatically, including through assistive technology.</p>

Criteria	Conformance Level	Remarks and Explanations
11.6 Documented accessibility usage	Heading cell – no response required	Heading cell – no response required
11.6.1 User control of accessibility features	Not Applicable	It is up to application developers to provide user control of accessibility features.
11.6.2 No disruption of accessibility features	Supports	DevExpress WinForms Controls do not disrupt normal operation of platform accessibility features.
11.7 User preferences	Partially Supports	DevExpress WinForms Controls inherit font settings from the user agent.
11.8 Authoring tools	Heading cell – no response required	Heading cell – no response required
11.8.1 Content technology	Heading cell – no response required	Heading cell – no response required
11.8.2 Accessible content creation	Partially Supports	<p>Content created by users in RichEdit and Spreadsheet controls can be consumed by assistive technologies. Software that displays this content must support appropriate accessibility interfaces. In certain instances, you may need to add UI elements (toolbar/Ribbon items) to help users assign assistive information.</p> <p>Examples:</p> <ul style="list-style-type: none"> - To specify ALT text for graphic objects in the RichEdit control, add an action that programmatically sets the Shape.AltText property. - To specify ALT text for charts in the Spreadsheet control, add an action that programmatically sets the Chart.Name property.
11.8.3 Preservation of accessibility information in transformations	Partially Supports	DevExpress WinForms authoring tool components preserve accessibility information in associated output during restructuring transformations or re-coding transformations.

Criteria	Conformance Level	Remarks and Explanations
11.8.4 Repair assistance	Does Not Support	DevExpress WinForms authoring tools do not include functionality to help users repair accessibility information.
11.8.5 Templates	Not Applicable	DevExpress WinForms authoring tool components do not provide templates.

Chapter [12: Documentation and Support Services](#)

Notes: Chapter 12 criteria are Not Applicable, because DevExpress does not provide documentation for application end users.

Chapter [13: ICT Providing Relay or Emergency Service Access](#)

Notes: Chapter 13 criteria are Not Applicable because the product is not ICT providing relay or emergency service access.

Legal Disclaimer

This document is for informational purposes only. This document does not constitute a legal claim of compliance. DEVELOPER EXPRESS INC MAKES NO WARRANTIES, EXPRESS OR IMPLIED, IN THIS DOCUMENT.

The information contained in this document represents the current view of Developer Express Inc on accessibility-related issues as of the date of publication. Because Developer Express Inc must respond to changing market conditions, statements made within this document should not be interpreted to be a commitment on the part of Developer Express Inc. Developer Express Inc does not and cannot guarantee the accuracy of any information contained within this document on or after the date of publication.

© 1998-2025 Developer Express Inc. All rights reserved. Developer Express logo is a trademark of Developer Express in the United States and/or other countries. The names of third parties and/or third-party products mentioned herein may be the trademarks of their respective owners. Developer Express Inc updates its website and provides new information about the accessibility of products as that information becomes available.